

Dec. 2006

“Infrared Spectra of the $M(NO)_n$ ($M = Sn, Pb$; $n = 1, 2$) and $PbNO$ - Molecules”

Qiang Xu and Ling Jiang

Inorg. Chem.; 2006; 45(21) pp 8648 – 8654;

DOI: <http://dx.doi.org/10.1021/ic061105r>

“UV Photolysis Products of Propiolic Acid in Noble-Gas Solids”

Esa Isoniemi, Leonid Khriachtchev, Maarit Makkonen, and Markku Räsänen

J. Phys. Chem. A; 2006; 110(40) pp 11479 – 11487;

DOI: <http://dx.doi.org/10.1021/jp062080k>

“Infrared Spectra of the $(AgCO)_2$ and Ag_nCO ($n = 2-4$) Molecules in Rare-Gas Matrices”

Ling Jiang and Qiang Xu

J. Phys. Chem. A; 2006; 110(40) pp 11488 – 11493;

DOI: <http://dx.doi.org/10.1021/jp064129s>

“Vibrational Spectra and Structures of H_2O-NO , $HDO-NO$, and D_2O-NO Complexes. An IR Matrix Isolation and DFT Study”

Nadia Dozova, Lahouari Krim, M. Esmail Alikhani, and Nelly Lacombe

J. Phys. Chem. A; 2006; 110(41) pp 11617 – 11626;

DOI: <http://dx.doi.org/10.1021/jp0625614>

“Comparisons of Photoinduced Oxidative Addition of B-H, B-B, and Si-H Bonds at Rhodium (5-cyclopentadienyl)phosphine Centers”

Marius V. Câmpian, Jeremy L. Harris, Naser Jasim, Robin N. Perutz, Todd B. Marder, and Adrian C. Whitwood

Organometallics; 2006; 25(21) pp 5093 - 5104;

DOI: <http://dx.doi.org/10.1021/om060500m>

“Counterpoise corrected geometries of hydrated complexes”

Anna L. Garden et al.,

J. Chem. Phys.; 2006; 125 (14), 144317;

DOI: <http://dx.doi.org/10.1063/1.2357932>

“Trapping evidence for the thermal cyclization of di-(o-acetylphenyl)acetylene to 3,3'-dimethyl-1,1'-biisobenzofuran”

Charles P Casey, Neil A Strotman, Ilia A Guzei

Beilstein Journal of Organic Chemistry; 2005; 1:18 (9 December 2005)

doi: <http://dx.doi.org/10.1186/1860-5397-1-18>

“Intrinsic Dinitrogen Activation at Bare Metal Atoms”

Hans-Jörg Himmel, Markus Reiher

Angewandte Chemie-International Edition; 2006; 45(38) pp 6264-6288;

DOI: <http://dx.doi.org/10.1002/anie.200502892>

“Intra- vs. intermolecular hydrogen bonding: dimers of alpha-hydroxyesters with methanol”

Nicole Borho, Martin A. Suhm, Katia Le Barbu-Debus and Anne Zehnacker

Phys. Chem. Chem. Phys.; 2006; 8(38) pp 4449-4460;

DOI: <http://dx.doi.org/10.1039/b609725a>

“Molecular Structure, Infrared Spectrum, and Photochemistry of Squaric Acid Dimethyl Ester in Solid Argon”

S. Breda, I. Reva, L. Lapinski, and R. Fausto

Journal of Physical Chemistry A; 2006; 110(38) pp 11034 - 11045;

DOI: <http://dx.doi.org/10.1021/jp0632485>

“Ab initio description of the ground and excited states of cyanogen isomers”

Rajat K. Chaudhuri, S.L.N.G. Krishnamachari and Karl F. Freed

Journal of Molecular Structure-Theochem; 2006; 768(1-3) pp 119-126;

doi: <http://dx.doi.org/10.1016/j.theochem.2006.05.019>

“Hydrogen bonding of radicals: Interaction of dimethyl ether with HOO, HOOH, and HOO–”

Mohammad Solimannejad and Steve Scheiner

Chemical Physics Letters; 2006; 429(1-3) pp 38-42;

doi: <http://dx.doi.org/10.1016/j.cplett.2006.08.042>

“UV-induced photochemistry of methyl coumalate (methyl 2-pyrone-5-carboxylate) isolated in low-temperature inert matrices”

I.D. Reva, M.J. Nowak, L. Lapinski and R. Fausto

Chemical Physics Letters; 2006; 429(4-6) pp 382-388;

doi: <http://dx.doi.org/10.1016/j.cplett.2006.08.061>

“A density functional study on iodine dioxide–water complexes”

Weigang Wang, Maofa Ge and Dianxun Wang

Chemical Physics; 2006; 328(1-3) pp 165-172;

doi: <http://dx.doi.org/10.1016/j.chemphys.2006.06.034>

“Photochromism and polarization spectroscopy of p-methyl(thiobenzoyl)acetone” Alexander Gorski, Yevgen Posokhov, Bjarke K.V. Hansen, Jens Spanget-Larsen, Jan Jasný, Fritz Duus, Poul Erik Hansen and Jacek Waluk

Chemical Physics; 2006; 328(1-3) pp205-215;

DOI: <http://dx.doi.org/10.1016/j.chemphys.2006.06.033>

“Density functional study on the ClCO + NO₂ reaction”

A. Lesar, M. Bončina and M. Hodošček

Chemical Physics; 2006; 328(1-3) pp 363-370;

DOI: <http://dx.doi.org/10.1016/j.chemphys.2006.07.026>

“Infrared spectra and structure of water clusters trapped in argon and krypton matrices”

Shinichi Hirabayashi and Koichi M.T. Yamada

Journal of Molecular Structure; 2006; 795(1-3) pp 78-83;

DOI: <http://dx.doi.org/10.1016/j.molstruc.2006.02.019>

“Thiol-thione tautomerism in 2-pyridinethione: Effect of hydration”

Aiping Fu, Hongliang Li and Dongmei Du

Journal of Molecular Structure-Theochem; 2006; 767(1-3) pp 51-60;

DOI: <http://dx.doi.org/10.1016/j.theochem.2006.04.025>

“A study of interaction between hydrogen peroxide and silica gel by FTIR spectroscopy and quantum chemistry”

Jacek Żeglin'ski, Grzegorz P. Piotrowski and Ryszard Piękos'
Journal of Molecular Structure; 2006; 794(1-3) pp 83-91;
DOI: <http://dx.doi.org/10.1016/j.molstruc.2006.01.043>

“Conformational cooling and conformation selective aggregation in dimethyl sulfite isolated in solid rare gases”

Ana Borba, Andrea Gómez-Zavaglia and Rui Fausto
Journal of Molecular Structure; 2006; 794(1-3) 196-203;
DOI: <http://dx.doi.org/10.1016/j.molstruc.2006.02.005>

“Trimers and tetramers of MH and MH₃ (M = Al, Ga): Theoretical study”

Jerzy Moc, Karolina Bober and Krzysztof Mierzwicki
Chemical Physics; 2006; 327(2-3) pp 247-260;
DOI: <http://dx.doi.org/10.1016/j.chemphys.2006.04.015>

Jan. 2007

“Structure and Matrix Isolation Infrared Spectrum of Formyl Fluoride Dimer: Blue-Shift of the C-H Stretching Frequency”

Jussi M. E. Ahokas, Kari J. Vaskonen, and Henrik M. Kunttu
J. Phys. Chem. A; **2006**; 110(25) pp 7816 – 7821.
DOI: <http://dx.doi.org/10.1021/jp061188x>

“Electron Deficient Carbon-Titanium Triple Bonds: Formation of Triplet XC≡TiX₃ Methylidyne Complexes”

Jonathan T. Lyon and Lester Andrews
Inorg. Chem. **2006**; 45(24) pp 9858 – 9863.
DOI: <http://dx.doi.org/10.1021/ic0610379>

“Vibrational spectrum of cyclic TiC₃ in solid Ar”

R. E. Kinzer, Jr., C. M. L. Rittby, and W. R. M. Graham
J. Chem. Phys. **2006**; 125, 074513.
DOI: <http://dx.doi.org/10.1063/1.2236119>

“Vibrational spectra of germanium-carbon clusters in solid Ar: Identification of the ν_4 (σ_u) mode of linear GeC₅Ge”

E. Gonzalez, C. M. L. Rittby, and W. R. M. Graham
J. Chem. Phys. **2006**; 125, 044504.
DOI: <http://dx.doi.org/10.1063/1.2227398>

“Fourier transform infrared isotopic study of linear CrC₃: Identification of the ν_1 (σ) mode”

S. A. Bates, C. M. L. Rittby, and W. R. M. Graham
J. Chem. Phys. **2006**; 125, 074506.
DOI: <http://dx.doi.org/10.1063/1.2234482>

“Matrix Isolation Infrared Spectroscopic and Theoretical Study of Noble Gas Coordinated Rhodium-Dioxygen Complexes”

Rui Yang, Yu Gong, Han Zhou, and Mingfei Zhou
J. Phys. Chem. A; **2006**; ASAP.
DOI: <http://dx.doi.org/10.1021/jp0662000>

“Different Behavior of Nitrenes and Carbenes on Photolysis and Thermolysis: Formation of Azirine, Ylidic Cumulene, and Cyclic Ketenimine and the Rearrangement of 6-Phenanthridylcarbene to 9-Phenanthrylnitrene”

D. Kvaskoff, P. Bednarek, L. George, S. Pankajakshan, and C. Wentrup

J. Org. Chem. **2005**; 70(20) pp 7947 – 7955.

DOI: <http://dx.doi.org/10.1021/jo050898g>

“Nitrenes, Diradicals, and Ylides. Ring Expansion and Ring Opening in 2-Quinazolylnitrenes”

David Kvaskoff, Pawel Bednarek, Lisa George, Kerstin Waich, and Curt Wentrup

J. Org. Chem. **2006**; 71(11) pp 4049 – 4058.

DOI: <http://dx.doi.org/10.1021/jo052541i>

“A Cyclopropabenzylidenethenone (Propadienone) via a New Route to Alkylidenecyclopropenes”

Brian Halton, Gareth M. Dixon, Carissa S. Jones, Christopher T. Parkin, Rakesh N. Veedu, Holger Bornemann, and Curt Wentrup

Org. Lett. **2005**; 7(5) pp 949 – 952.

DOI: <http://dx.doi.org/10.1021/ol050095f>

C. Wentrup and H. Bornemann

“The Curtius Rearrangement Revisited – Formation of Cyanate (R-O-CN).”

Eur. J. Org. Chem. **2005**, 4521-4524.

L. George and C. Wentrup

“Imidoylketene- α -oxoketenimine and α -oxoketene- α -oxoketene rearrangements. 1,3-Shifts of substituted phenyl groups”

Org. Biomol. Chem. **2005**, 3, 2998-3000.

DOI: <http://www.rsc.org/Publishing/Journals/OB/article.asp?doi=b504260g>

L. George, K.-P. Netsch, G. Penn, G. Kollenz and C. Wentrup

“Oxoketene-oxoketene, imidoylketene-imidoylketene and oxoketenimine-imidoylketene rearrangements” 1,3-Shifts of phenyl groups.

Org. Biomol. Chem. **2006**, 4, 558-564.

DOI: <http://www.rsc.org/Publishing/Journals/OB/article.asp?doi=b515917b>

“Reactions of Th and U Atoms with C₂H₂: Infrared Spectra and Relativistic Calculations of the Metallacyclopropene, Actinide Insertion, and Ethynyl Products”

Lester Andrews, Gary P. Kushto, Colin J. Marsden

Chemistry-A European Journal **2006**, 12(32) 8324-8335.

DOI: <http://dx.doi.org/10.1002/chem.200600075>

“Electron Spectroscopy, Molecular Structures, and Binding Energies of Al- and Cu-Imidazole”

Wang, X.; Lee, J. S.; Yang, D.-S.;

J. Phys. Chem. A. **2006**; 110(47); 12777-12784.

DOI: <http://dx.doi.org/10.1021/jp0649605>

“Stepwise conformational cooling towards a single isomeric state in the four internal rotors system 1,2-butanediol”

I. D. Reva, A. J. Lopes Jesus, M. T. S. Rosado, R. Fausto, M. Ermelinda Eusébio and J. S. Redinha

Phys. Chem. Chem. Phys. **2006**; 8(45) 5339-5334.

DOI: <http://dx.doi.org/10.1039/b610962d>

“Estimation of Intramolecular Hydrogen Bond Energy via Molecular Tailoring Approach”

Deshmukh, M. M.; Gadre, S. R.; Bartolotti, L. J.

J. Phys. Chem. A. **2006**; 110(45); 12519-12523.

DOI: <http://dx.doi.org/10.1021/jp065836o>

“Reactions of Gadolinium Atoms and Dimers with CO: Formation of Gadolinium Carbonyls and Photoconversion to CO Activated Molecules”

Jin, X.; Jiang, L.; Xu, Q.; Zhou, M.

J. Phys. Chem. A. **2006**; 110(46); 12585-12591.

DOI: <http://dx.doi.org/10.1021/jp064751k>

“Computational Study of Noncovalent Complexes between Formamide and Formic Acid”

Sanchez-Garcia, E.; Montero, L. A.; Sander, W.

J. Phys. Chem. A. **2006**; 110(46); 12613-12622.

DOI: <http://dx.doi.org/10.1021/jp0553636>

“On theoretical predictions of noble-gas hydrides”

Antti Lignell, Leonid Khriachtchev, Jan Lundell, Hanna Tanskanen, and Markku Räsänen

J. Chem. Phys. **2006**, 125, 184514.

DOI: <http://dx.doi.org/10.1063/1.2378624>

“Dimethoxycarbene: Conformational Analysis of a Reactive Intermediate”

Hans Peter Reisenauer, Jaroslaw Romanski, Grzegorz Mloston, Peter R. Schreiner

European Journal of Organic Chemistry, **2006**, 21, 4813-4818.

DOI: <http://dx.doi.org/10.1002/ejoc.200600485>

“End-on versus side-on coordination of dinitrogen to titanium–benzene complex”

Yaqiong Wang, Yu Gong, Xuming Zheng, and Mingfei Zhou

Chem. Phys. Lett. **2006**, 431(1-3) 13-18.

DOI: <http://dx.doi.org/10.1016/j.cplett.2006.09.040>

Feb. 2007

“An Infrared Spectroscopic and Theoretical Study of Group 4 Transition Metal $\text{CH}_2=\text{MCl}_2$ and $\text{HC}\ddagger\text{MCl}_3$ Complexes”

Jonathan T. Lyon and Lester Andrews

Organometallics; **2007**; 26(2) pp 332 – 339.

DOI: <http://dx.doi.org/10.1021/om0608399>

“Furan-Formic Acid Dimers: An ab Initio and Matrix Isolation Study”

Sanchez-Garcia, E.; Mardyukov, A.; Studentkowski, M.; Montero, L. A.; Sander, W.;

J. Phys. Chem. A.; **2006**; 110(51); 13775-13785.

DOI: <http://dx.doi.org/10.1021/jp065064w>

“Matrix Isolation and Theoretical Study of the Reaction of Substituted Phosphines with CrCl_2O_2 ”

Delson, A. J.; Ault, B. S.;
J. Phys. Chem. A.; **2006**; 110(51); 13786-13791.
DOI: <http://dx.doi.org/10.1021/jp066215y>

“A Combined Matrix Isolation and ab Initio Study of Bromine Oxides”

Oscar Gálvez, Anja Zoermer, Aharon Loewenschuss, and Hinrich Grothe
J. Phys. Chem. A; **2006**; 110(20) pp 6472 – 6481.
DOI: <http://dx.doi.org/10.1021/jp060586x>

“Where Is the Limit of Highly Fluorinated High-Oxidation-State Osmium Species?”

Riedel, S.; Kaupp, M.;
Inorg. Chem.; **2006**; 45(26); 10497-10502.
DOI: <http://dx.doi.org/10.1021/ic061054y>

“Infrared spectrum of 2-hydroxyphenoxy radical and photoisomerization between trans and cis 2-hydroxyphenyl nitrites “

Maki Nagaya, Satoshi Kudoh and Munetaka Nakata
Chem. Phys. Lett.; **2006**; 432(4-6); 446-451.
DOI: <http://dx.doi.org/10.1016/j.cplett.2006.10.109>

“Fast Processes and Intermediates in Photochemistry of 7-Dimethylgermanorbornadiene”

Kaletina, M. V.; Plyusnin, V. F.; Grivin, V. P.; Korolev, V. V.; Leshina, T. V.;
J. Phys. Chem. A.; **2006**; 110(50); 13341-13348.
DOI: <http://dx.doi.org/10.1021/jp0604950>

“Matrix-isolation infrared spectra of 2-, 3- and 4-pyridinecarboxaldehyde before and after UV irradiation”

Keiichi Ohno, Takao Itoh, Chiyumi Yokota and Yukiteru Katsumoto
J. Mol. Struct.; **2006**; 825(1-3), pp 32-37.
DOI: <http://dx.doi.org/10.1016/j.molstruc.2006.04.033>

“Radical Cations from Dicyclopropylidene methane and Its Octamethyl Derivative”

T. Bally, B. Müller, F. Gerson, X.-Z. Qin, M. von Seebach, S. I. Kozhushkov, A. de Meijere, V. I. Borovkov, and P. A. Potashov
J. Phys. Chem. A; **2006**; 110(3) pp 1163 – 1170.
DOI: <http://dx.doi.org/10.1021/jp0558775>

“Complex of Silylene with Nitrogen: A Combined Matrix-Spectroscopic and Density Functional Theory Study”

Günther Maier, Hans Peter Reisenauer, Jörg Glatthaar, Roland Zetzmann
Chemistry – An Asian Journal: **2006**; 1(1-2); 195-202.
DOI: <http://dx.doi.org/10.1002/asia.200600089>

“Unimolecular proton-transfer photoreactions in 2,4-dithiouracil and 6-aza-2,4-dithiouracil: A matrix isolation study”

Artem Khvorostov, Leszek Lapinski, Hanna Rostkowska and Maciej J. Nowak
J. Photochem. Photobio. A: Chem.; **2006**, 184(3); 322-330.

DOI: <http://dx.doi.org/10.1016/j.jphotochem.2006.04.032>

“Matrix isolation and computational study of the photochemistry of p-azidoaniline”

Elena A. Pritchina, Nina P. Gritsan and Thomas Bally
Phys. Chem. Chem. Phys., **2006**, 8, 719 – 727.

DOI: <http://dx.doi.org/10.1039/b511229j>

“Experimental and Theoretical Study of 2,6-Difluorophenylnitrene, Its Radical Cation, and Their Rearrangement Products in Argon Matrices”

Claudio Carra, , Rafael Nussbaum, and Thomas Bally
ChemPhysChem, **2006**, 7, 1268-1275.

<http://dx.doi.org/10.1002/cphc.200600043>

“Oxidative Rearrangements of Tricyclic Vinylcyclobutane Derivatives”

Juliane Grotta, Jochen Mattay, Krzysztof Piech, Thomas Bally
Chem. Eur. J. **2006**, 12(17), 4559-4567

<http://dx.doi.org/10.1002/chem.200501338>

“Bromodifluoroacetyl fluoride, CF₂BrC(O)F: Experimental and theoretical studies”

Valeria B. Arce, Joanna Czarnowski and Rosana M. Romano
J. Mol. Struct.; **2006**; 825(1-3), pp 32-37.

DOI: <http://dx.doi.org/10.1016/j.molstruc.2006.04.011>

“Anthralin: Primary Products of Its Redox Reactions”

M. Czerwinska, A. Sikora, P. Szajerski, J. Zielonka, J. Adamus, A. Marcinek, K. Piech, P. Bednarek, and T. Bally

J. Org. Chem.; **2006**; 71(14), pp 5312 – 5319.

DOI: <http://dx.doi.org/10.1021/jo060622o>

“The Dewar Benzene Radical Cation and Its Ring-Opening Reaction”

Thomas Bally, Stephan Matzinger, and Pawel Bednarek
J. Am. Chem. Soc.; **2006**; 128(24) pp 7828 – 7834.

DOI: <http://dx.doi.org/10.1021/ja060176m>

“Radical Cation of a Trimethylenemethane with a Nondegenerate Ground State”

T. Bally, A. Maltsev, F. Gerson, D. Frank, and A. de Meijere
J. Am. Chem. Soc.; **2005**; 127(6) pp 1983 – 1988.

DOI: <http://dx.doi.org/10.1021/ja046961l>

“Role of Conformation and Electronic Structure in the Chemistry of Ground and Excited State o-Pyrazolylphenylnitrenes”

Claudio Carra, Thomas Bally, and Angelo Albini
J. Am. Chem. Soc.; **2005**; 127(15) pp 5552 – 5562.
DOI: <http://dx.doi.org/10.1021/ja043988w>

“Rearrangements Concerted with Fragmentation of Cyclopropylmethoxychlorocarbene and Cyclobutoxychlorocarbene in Hydrocarbon Solvents and Ar Matrices”
R. A. Moss, R. R. Sauers, F. Zheng, X. Fu, T. Bally, and A. Maltsev
J. Am. Chem. Soc.; **2004**; 126(27) pp 8466 – 8476.
DOI: <http://dx.doi.org/10.1021/ja049421x>

“The Rearrangements of Naphthylnitrenes: UV/Vis and IR Spectra of Azirines, Cyclic Ketenimines, and Cyclic Nitrile Ylides”
A. Maltsev, T. Bally, M.-L. Tsao, M. S. Platz, A. Kuhn, M. Vosswinkel, and C. Wentrup
J. Am. Chem. Soc.; **2004**; 126(1) pp 237 – 249.
DOI: <http://dx.doi.org/10.1021/ja038458z>

March 2007

“Surface electrons over liquid helium in porous media”
Zueva T.I., Kovdrya Yu.Z., and Sokolov S.S.
Low Temperature Physics (Fizika Nizkikh Temperatur); **2007**; 33(1); 3.
DOI: will update when available.

“About the cause of electric activity of superfluid helium upon excitation of the second sound waves and the fluctuations of the normal component's speed”
Pashitskii E.A. and Ryabchenko S.M.
Low Temperature Physics (Fizika Nizkikh Temperatur); **2007**; 33(1); 12.
DOI: will update when available.

“X-ray diffraction study into the effects of interaction of fullerite C60 crystals with Ne atoms”
Legchenkova I.V., Prokhvatilov A.I., Stetsenko Yu.E., Strzhemechny M.A., and Yagotintsev K.A.
Low Temperature Physics (Fizika Nizkikh Temperatur); **2007**; 33(1) ;119.
DOI: will update when available.

“Conformers and Photochemistry of Propyl Nitrites: A Matrix Isolation Study”
Matyus, E.; Magyarfalvi, G.; Tarczay, G.;
J. Phys. Chem. A.; **2007**; 111(3); 450-459.
DOI: <http://dx.doi.org/10.1021/jp066188b>

“Insertion of rare gas atoms into BF₃ and AlF₃ molecules: An *ab initio* investigation”
T. Jayasekharan, T. K. Ghanty
J. Chem. Phys.; **2006**; 125; 234106
DOI: <http://dx.doi.org/10.1063/1.2404662>

“Matrix Isolation Infrared Spectroscopic and Theoretical Study of Noble Gas Coordinated Rhodium-Dioxygen Complexes”

Yang, R.; Gong, Y.; Zhou, H.; Zhou, M.;

J. Phys. Chem. A.; **2007**; 111(1); 64-70.

DOI: <http://dx.doi.org/10.1021/jp0662000>

“Matrix Isolation FTIR spectroscopic study of ethane secondary ozonide”

Ruta Bariseviciute, Justinas Ceponkus, and Valdas Sablinskas

Central European Journal of Chemistry; **2005**; 5(1); 71-86.

DOI: <http://dx.doi.org/10.2478/s11532-006-0073-6>

“Infrared Spectra of the Complexes of Trifluoroethene with Dimethyl Ether, Acetone, and Oxirane: A Cryosolution Study”

Wouter A. Herrebout, Sofie N. Delanoye, Bert U. W. Maes, and Benjamin J. van der Veken

J. Phys. Chem. A; **2006**; 110(51) pp 13759 - 13768;

DOI: <http://dx.doi.org/10.1021/jp065502z>

“EPR Studies of Amine Radical Cations. Part 2. Thermal and Photo-Induced Rearrangements of Propargylamine and Allylamine Radical Cations in Low-Temperature Freon Matrices”

Wolfgang Knolle, Igor Janovsk, Sergej Naumov, and Ffrancon Williams

J. Phys. Chem. A; **2006**; 110(51) pp 13816 – 13826.

DOI: <http://dx.doi.org/10.1021/jp064825s>

“IR Spectrum of CH₃CN-BF₃ in Solid Neon: Matrix Effects on the Structure of a Lewis Acid-Base Complex”

Audrey A. Eigner, John A. Rohde, Christopher C. Knutson, and James A. Phillips

J. Phys. Chem. B; **2007**; 111(6) pp 1402 – 1407.

DOI: <http://dx.doi.org/10.1021/jp0656375>

“High-Resolution ESR Study of the H \cdots CH₃, H \cdots CHD₂, D \cdots CH₂D, and D \cdots CD₃ Radical Pairs in Solid Argon”

Kenji Komaguchi, Kotaro Nomura, and Masaru Shiotani

J. Phys. Chem. A; **2007**; 111(4) pp 726 – 733.

DOI: <http://dx.doi.org/10.1021/jp063723z>

“Infrared Spectra of Chlorinated Ethylene Cations: C₂Cl₄⁺, C₂HCl₃⁺, 1,1-C₂H₂Cl₂⁺, and *trans*-C₂H₂Cl₂⁺ in Solid Argon”

Zhou, H.; Gong, Y.; Zhou, M.;

J. Phys. Chem. A.; **2007**; 111(4); 603-609.

DOI: <http://dx.doi.org/10.1021/jp066618y>

“Matrix Isolation and Computational Study of the Photochemistry of 1,3,2,4-Benzodithiadiazine”

Gritsan, N. P.; Pritchina, E. A.; Bally, T.; Makarov, A. Y.; Zibarev, A. V.;
J. Phys. Chem. A.; **2007**; 111(5); 817-824.
DOI: <http://dx.doi.org/10.1021/jp063977k>

“Dehydrophenylnitrenes: Matrix Isolation and Photochemical Rearrangements”
Sander, W.; Winkler, M.; Cakir, B.; Grote, D.; Bettinger, H. F.;
J. Org. Chem.; **2007**; 72(3); 715-724.
DOI: <http://dx.doi.org/10.1021/jo061624b>

“Matrix isolation study of the photochemical reaction of cyclohexane and cyclohexene
with CrCl₂O₂”
Michael D. Hoops and Bruce S. Ault
J. Mol. Struct.; **2007**; 826(1); 36-47.
DOI: <http://dx.doi.org/10.1016/j.molstruc.206.04.017>

“Unimolecular thermal fragmentation of ortho-benzyne”
Xu Zhang, Alan T. Maccarone, Mark R. Nimlos, Shuji Kato, Veronica M. Bierbaum, G.
Barney Ellison, Branko Ruscic, Andrew C. Simmonett, Wesley D. Allen, and Henry F.
Schaefer III
J. Chem. Phys.; **2007**; 126; 044312.
DOI: <http://dx.doi.org/10.1063/1.2409927>

“Matrix isolation FTIR spectroscopical study of ethene secondary ozonide”
Ruta Bariseviciute, Justinas Ceponkus and Valdas Sablinskas
Central European Journal of Chemistry; **2007**; 5(1); 71-86.
DOI: <http://dx.doi.org/10.2478/s11532-006-0073-6>

April, 2007

“Photochemical dehydration of acetamide in a cryogenic matrix”
Fabrice Duvernay, Pascal Chatron-Michaud, Fabien Borget, David M. Birney, Thierry
Chiavassa, Physical Chemistry Chemical Physics, **2007**, 9(9), 1099
<http://xlink.rsc.org/?DOI=b617586d>

“Soft-Landing Isolation of Multidecker V₂(benzene)₃ Complexes in an Organic
Monolayer Matrix: An Infrared Spectroscopy and Thermal Desorption Study”
Nagaoka, S.; Matsumoto, T.; Ikemoto, K.; Mitsui, M.; Nakajima, A.
J. Am. Chem. Soc.; **2007**; 129(6); 1528-1529.
DOI: <http://dx.doi.org/10.1021/ja068442j>

“Carboxyketenes from 4-Hydroxy-1,3-oxazin-6-ones and Meldrum's Acid Derivatives”
George, L.; Veedu, R. N.; Sheibani, H.; Taherpour, A. A.; Flammang, R.; Wentrup, C.
J. Org. Chem.; **2007**; 72(4); 1399-1404.
DOI: <http://dx.doi.org/10.1021/jo062319t>

“IR Spectrum of CH₃CN-BF₃ in Solid Neon: Matrix Effects on the Structure of a Lewis Acid-Base Complex”

Audrey A. Eigner, John A. Rohde, Christopher C. Knutson, and James A. Phillips

J. Phys. Chem. B; 2007; 111(6) pp 1402 - 1407; (Article)

DOI: <http://dx.doi.org/10.1021/jp0656375>

“B-N Distance Potential of CH₃CN-BF₃ Revisited: Resolving the Experiment-Theory Structure Discrepancy and Modeling the Effects of Low-Dielectric Environments”

Phillips, J. A.; Cramer, C. J.

J. Phys. Chem. B. ; 2007; 111(6); 1408-1415.

DOI: <http://dx.doi.org/10.1021/jp065485d>

“Infrared spectroscopy and photochemistry of NCCN⁺ and CNCN⁺ trapped in solid neon”

Marilyn E. Jacox and Warren E. Thompson

J. Chem. Phys. 2007, 126, 054308.

DOI: <http://dx.doi.org/10.1063/1.2433945>

“Intramolecular CH... π and CH...O interactions in the conformational stability of benzyl methyl ether studied by matrix-isolation infrared spectroscopy and theoretical calculations”

Kei Shin-ya, Osamu Takahashi, Yukiteru Katsumoto and Keiichi Ohno

J. Mol. Struct. 2007, 827 (1-3), 155.

DOI: <http://dx.doi.org/10.1016/j.molstruc.2006.05.027>

“Substituent effects on noncovalent halogen/ π interactions: Theoretical study”

Y.-X. Lu, J.-W. Zou, Y.-H. Wang, and Q.-S. Yu

Int. J. Quantum Chem., 2007, 107(6), 1479-1486.

DOI: <http://dx.doi.org/10.1002/qua.21279>

“Theoretical Studies of the [2 + 4] Diels-Alder Cycloaddition Reactions of Alkene Analogues of the Group 13 Elements with Toluene”

Gu, S.-Y.; Sheu, J.-H.; Su, M.-D.;

Inorg. Chem.; 2007; 46(6); 2028-2034.

DOI: <http://dx.doi.org/10.1021/ic061100u>

“Chromium Carbonyl Nitrosyls: Comparison with Isoelectronic Manganese Carbonyl Derivatives”

Wang, H.; Xie, Y.; Zhang, J. D.; King, R. B.; Schaefer, H. F., III;

Inorg. Chem.; 2007; 46(5); 1836-1846.

DOI: <http://dx.doi.org/10.1021/ic0620541>

“Identification of the D_{3h} Isomer of Carbon Trioxide (CO₃) and Its Implications for Atmospheric Chemistry”

Corey S. Jamieson, Alexander M. Mebel, Ralf I. Kaiser

ChemPhysChem, 2006. 7(12), 2508-2513

DOI: <http://dx.doi.org/10.1002/cphc.200600390>

“Photo- and thermally stimulated relaxation processes in pre-irradiated atomic solids”
E.V. Savchenko, I.V. Khyzhniy, G.B.Gumenchuk, A.N. Ponomaryov, M.K. Beyer, M. Frankowski, and V.E. Bondybey
Radiation Physics and Chemistry, 76, **2007**, 577-581.
DOI: <http://dx.doi.org/10.1016/j.radphyschem.2006.01.026>

“Radiation effects, energy storage and its release in solid rare gases”
Alexey Ponomaryov, Galina Gumenchuk, Elena Savchenko and Vladimir E. Bondybey
PCCP, 9, **2007**, 1329-1340.
DOI: <http://dx.doi.org/10.1039/b616441b>

“Relaxation emission of electrons and photons from rare-gas solids: correlation and competition between TSL and TSEE”
E.V. Savchenko, I.V. Khyzhniy, G.B.Gumenchuk, A.N. Ponomaryov, and V.E. Bondybey, , Phys. Stat. Sol (c) 4, **2007**, 1088-1091.
DOI: <http://dx.doi.org/10.1002/pssc.200673809>

“Photon-stimulated charge recombination and exoelectron emission from pre-irradiated solid Ar”
G.B. Gumenchuk, A.M. Bludov, A.G. Belov, A.N. Ponomaryov, V.E. Bondybey and E.V. Savchenko
Phys. Stat. Sol. 4, **2007**, 1151-1154.
DOI: <http://dx.doi.org/10.1002/pssc.200673810>

“Cirrus cloud mimics in the laboratory: An infrared spectroscopy study of thin films of mixed ice of water with organic acids and ammonia”
S. Hellebust, B. O’Riordan, J. Sodeau
J. Chem. Phys. **2007**, 126, 084702.
DOI: <http://dx.doi.org/10.1063/1.2464082>

May 2007

“Quantum Structure of the Intermolecular Proton Bond”
J. R. Roscioli, L. R. McCunn, and M. A. Johnson
Science **2007**: 249-254.
DOI: <http://dx.doi.org/10.1126/science.1138962>

“Stereochemistry of silicon tetrafluoride complexes with N- and O-donor ligands”
V.O. Gel’mbol’dt, L.V. Koroeva, and A. A. Ennan
Russian Journal of Coordination Chemistry; 33(3); **2007**; 1070.
DOI: <http://dx.doi.org/10.1134/S1070328407030025>

“Infrared spectra of monomeric thioformaldehyde in Ar, N₂ and Xe matrices”
Eiichi Suzuki, Masahiro Yamazaki and Kenji Shimizu

Vibrational Spectroscopy; 43(2); **2007**; 269-273.
DOI: <http://dx.doi.org/10.1016/j.vibspec.2006.02.007>

Infrared Spectroscopic Observation of the Group 13 Metal Hydroxides, $M(OH)_{1,2,3}$ ($M = Al, Ga, In, \text{ and } Tl$) and $HA(OH)_2$

Wang, X.; Andrews, L.;

J. Phys. Chem. A.; (Article); 2007; 111(10); 1860-1868.

DOI: [10.1021/jp066390e](https://doi.org/10.1021/jp066390e)

Conformations of Dimethoxydimethylsilane: Matrix Isolation Infrared and ab Initio Studies

Kavitha, V.; Viswanathan, K. S.;

J. Phys. Chem. A.; (Article); 2007; 111(10); 1879-1886.

DOI: [10.1021/jp066837j](https://doi.org/10.1021/jp066837j)

Photochemistry of 2-(methylamino)pyridine in a low-temperature argon matrix: Amino-imino tautomerism and rotational isomerism

Nobuyuki Akai, Keiichi Ohno and Misako Aida

J. Photochem. Photobio. A: Chemistry; 2007; 187(1); 113-118.

DOI: [10.1016/j.jphotochem.2006.10.002](https://doi.org/10.1016/j.jphotochem.2006.10.002)

FTIR and computational studies of pure and water containing SO_3 species in solid argon matrices

Aharon Givan, Aharon Loewenschuss, Claus J. Nielsen and Mark Rozenberg

J. Mol. Struct.; 2007; 830(1-3) 21-34.

DOI: [10.1016/j.molstruc.2006.06.027](https://doi.org/10.1016/j.molstruc.2006.06.027)

What can we learn from two-center three-electron bonding with the topological analysis of ELF?

Heteroatom Chemistry

Volume 18, Issue 2, Date: March 2007, Pages: 135-160

I. Fourné, B. Silvi

DOI: [10.1002/hc.20325](https://doi.org/10.1002/hc.20325)

Cirrus cloud mimics in the laboratory: An infrared spectroscopy study of thin films of mixed ice of water with organic acids and ammonia

[Stig Hellebust](#), [Brian O'Riordan](#), and [John Sodeau](#)

J. Chem. Phys.; 2007; 126; 084702

DOI: [10.1063/1.2464082](https://doi.org/10.1063/1.2464082)

Complexes of Atmospheric α -Dicarbonyls with Water: FTIR Matrix Isolation and Theoretical Study

Mucha, M.; Mielke, Z.;

J. Phys. Chem. A.; (Article); 2007; 111(12); 2398-2406.

DOI: [10.1021/jp066685s](https://doi.org/10.1021/jp066685s)

Titanium, Zirconium, and Hafnium Metal Atom Reactions with CF₄, CCl₄, and CF₂Cl₂: A Matrix Isolation Spectroscopic and DFT Investigation of Triplet XC≡MX₃ Complexes

Jonathan T. Lyon and Lester Andrews

Organometallics; **2007**; 26(10) pp 2519 - 2527; (**Article**)

DOI: [10.1021/om070120g](https://doi.org/10.1021/om070120g)

Time-dependent alignment of molecules trapped in octahedral crystal fields

Toni Kiljunen, Burkhard Schmidt, and Nikolaus Schwentner

J. Chem. Phys. **124**, 164502 (2006)

DOI: 10.1063/1.2189239

“Femtosecond coherent anti-Stokes Raman-scattering polarization beat spectroscopy of I₂-Xe complex in solid krypton”

Tiina Kiviniemi, Toni Kiljunen, Mika Pettersson

J. Chem. Phys. **125**, 164302 (2006)

DOI: 10.1063/1.2358987

Ultrafast dynamics of halogens in rare gas solids

M. Gühr, M. Bargheer, M. Fushitani, T. Kiljunen and N. Schwentner

Phys. Chem. Chem. Phys.; 2007; 9; 779-801.

DOI: 10.1039/b609058n

“Rotation of Methyl Radicals in a Solid Argon Matrix”

Evgeny Popov, Toni Kiljunen, Henrik Kunttu, and Jussi Eloranta

J. Chem. Phys.; 2007; 126; 134504.

DOI: 10.1063/1.2715589

Mechanistic Aspects of the Oxidative and Reductive Fragmentation of *N*-Nitrosoamines: A New Method for Generating Nitrenium Cations, Amide Anions, and Aminyl Radicals
Krzysztof Piech, Thomas Bally, Adam Sikora, and Andrzej Marcinek

J. Am. Chem. Soc.; **2007**; 129(11) pp 3211 – 3217.

DOI: [10.1021/ja066855e](https://doi.org/10.1021/ja066855e)

“Thermostimulated transitions in cryodeposited water ices”

Drobyshev A., Aldiyarov A., Zhumagaliuly D., Levchenko A.V., Filippov V.B., and Chopnik A.

FNT; 2007; 33(4); 479

Direct observation of free excitons in luminescence spectra of xenon clusters

Vakula V.L., Danilchenko O.G., Doronin Yu.S., Kovalenko S.I., Libin M.Yu., and Samovarov V.N.

FNT; 2007; 33(4); 515.

“Creation of high-energy phonons by four-phonon processes in anisotropic phonon systems of He II”

Adamenko I.N., Kitsenko Yu.a., Nemchenko K.E., Slipko V.A., and Wyatt A.F.G.
FNT; 2007; 33(5); 523.

“Effect of dissolved oxygen on thermal expansion and polyamorphism of fullerite C60”

Dolbin A.V., Vinnikov N.A., Gavrilko V.G., Esel'son V.B., Manzhelii V.G., and Sundqvist B.
FNT; 2007; 33(5); 618.

“Thermodesorption and IR spectrometry studies of polyamorphous and polymorphous transformations in cryovacuum condensates of water”

Drobyshev A., Aldiyarov A., Zhumagaliuly D., Kurnosov V., and Tokmoldin N.
FNT; 2007; 33(5); 627.

June 2007

“Photochemistry and Vibrational Spectra of Matrix-Isolated 5-Ethoxy-1-Phenyl-1*H*-Tetrazole”

Luís M. T. Frija, I. D. Reva, A. Gómez-Zavaglia, M. L. S. Cristiano, and R. Fausto
J. Phys. Chem. A; **2007**; 111(15); 2879 - 2888
DOI: <http://dx.doi.org/10.1021/jp068556h>

“Matrix-Isolated Monomeric Tryptophan: Electrostatic Interactions as Nontrivial Factors Stabilizing Conformers”

A. Kaczor, I. D. Reva, L. M. Proniewicz, and R. Fausto
J. Phys. Chem. A; 2007; 111(15); 2957 - 2965
DOI: <http://dx.doi.org/10.1021/jp070097c>

“Infrared Spectroscopic and Density Functional Theory Study on the Reactions of Lanthanum Atoms with Carbon Dioxide in Rare-Gas Matrices

Ling Jiang and Qiang Xu
J. Phys. Chem. A; **2007**; 111(18); 3519 - 3525
DOI: <http://dx.doi.org/10.1021/jp071254a>

“Matrix Isolation Infrared Spectroscopic and Theoretical Study of Group IV Metal Oxide Clusters: M₂O₂ and M₂O₄”

Yu Gong, QingQing Zhang, and Mingfei Zhou
J. Phys. Chem. A; **2007**; 111(18); 3534 - 3539
DOI: <http://dx.doi.org/10.1021/jp0711388>

“Infrared Spectroscopy of Ozone-Water Complex in a Neon Matrix”

Masashi Tsuge, Kazuhide Tsuji, Akio Kawai, and Kazuhiko Shibuya
J. Phys. Chem. A; **2007**; 111(18); 3540 - 3547
DOI: <http://dx.doi.org/10.1021/jp068364m>

“Infrared Spectroscopic and Theoretical Studies on the Reactions of Copper Atoms with Carbon Monoxide and Nitric Oxide Molecules in Rare-Gas Matrices”

Ling Jiang and Qiang Xu

J. Phys. Chem. A; **2007**; 111(14); 2690 - 2696

DOI: <http://dx.doi.org/10.1021/jp067050w>

“Infrared spectroscopy of pyrrole-2-carboxaldehyde and its dimer: A planar β -sheet peptide model?”

Rice, Corey A.; Dauster, Ingo; Suhm, Martin A..

Journal of Chemical Physics; **2007**; 126(13); 134313-132313-8

DOI: <http://dx.doi.org/10.1063/1.2715584>

“Theoretical Studies of the Reaction Channels on the $\text{SO}_2/\text{OH}/\text{NO}$ Singlet Potential Energy Surface”

Maria Wierzejewska and Adriana Olbert-Majkut

J. Phys. Chem. A; **2007**; 111(14); 2790 – 2796

DOI: <http://dx.doi.org/10.1021/jp067438r>

“Reactions of H atoms produced by electron irradiation of benzene in solid xenon: IR spectrum of cyclohexadienyl radical and possible involvement of HXeC_6H_5 ”

Vladimir I. Feldman, Fedor F. Sukhov, Elizaveta A. Logacheva, Aleksei Yu. Orlov, Irina V. Tyulpina and Daniil A. Tyurin

Chemical Physics Letters; **2007**; 437(4-6); 207-211

DOI: <http://dx.doi.org/10.1016/j.cplett.2007.02.039>

“Diketone Radical Cations: Ketonic and Enolic Forms As Revealed by Matrix EPR Studies and DFT Calculations”

Kirill B. Nuzhdin, Vladimir I. Feldman, and Aleksey V. Kobzareno

J. Phys. Chem. A; **2007**; 111(17); 3294 - 3301

DOI: <http://dx.doi.org/10.1021/jp0685380>

August 2007

“Matrix isolation infrared observation of N_3 using a nitrogen microwave discharge plasma source”

J. C. Amicangelo, J. R. Collier, C. T. Dine, N. L. Saxton, R. M. Schleicher

Mol. Phys.; **2007**; 105, 989-1002.

DOI: <http://dx.doi.org/10.1080/00268970701259328>

“Infrared Spectrum and Bonding in Uranium Methylidene Dihydride, $\text{CH}_2=\text{UH}_2$ ”

Jonathan T. Lyon, Lester Andrews, Per-Åke Malmqvist, Björn O. Roos, Tianxiao Yang, and Bruce E. Bursten

Inorg. Chem.; **2007**; 46; 4917 – 4925.

DOI: <http://dx.doi.org/10.1021/ic062407w>

Group 4 Transition Metal $\text{CH}_2=\text{MF}_2$, $\text{CHF}=\text{MF}_2$, and $\text{HC}\ddagger\text{MF}_3$ Complexes Formed by C-F Activation and π -Fluorine Transfer

Jonathan T. Lyon and Lester Andrews

Inorg. Chem.; **2007**; 46; 4799 – 4808

DOI: <http://dx.doi.org/10.1021/ic0617011>

“Temperature, composition, and hydrogen isotope effect in the hydrogenation of CO on amorphous ice surface at 10-20 K”

Hidaka H, Kouchi A, Watanabe N

J. Chem. Phys.; **2007**; 126 (204707)

DOI: <http://dx.doi.org/10.1063/1.2735573>

“Infrared and ab initio study of acetylene-acetone complex in solid argon and nitrogen matrices”

Sundararajan K, Ramanathan N.

J. Mol. Strut. A; **2007**; 833; 150-160

DOI: <http://dx.doi.org/10.1016/j.molstruc.2006.09.012>

“Isomers of cyanodiacetylene: Predictions for the rotational, infrared and Raman spectroscopy”

Gronowski M, Kolos R.

J. Mol. Strut. A; **2007**; 834; 102-108

DOI: <http://dx.doi.org/10.1016/j.molstruc.2006.10.003>

“Formation of New Halogenothiocarbonylsulfenyl Halides, XC(S)SY , through Photochemical Matrix Reactions Starting from CS_2 and a Dihalogen Molecule XY ($\text{XY} = \text{Cl}_2, \text{Br}_2, \text{or BrCl}$)”

Tobon, Y. A.; Romano, R. M.; Della Vedova, C. O.; Downs, A. J.

Inorg. Chem.; **2007**; 46(11); 4692-4703.

DOI: <http://dx.doi.org/10.1021/ic070119+>

“Theoretical Prediction and the First IR Matrix Observation of Several L-Cysteine Molecule Conformers”

Jan Cz. Dobrowolski, Michał H. Jamróz, Robert Kołos, Joanna E. Rode, Joanna Sadlej

ChemPhysChem; **2007**; 8(7); 1085-1084

DOI: <http://dx.doi.org/10.1002/cphc.200600784>

“Matrix isolation and theoretical investigation of the photochemical reaction of CrCl_2O_2 with benzenes substituted with electron withdrawing groups”

Hoops MD, Ault BS.

J. Chem. Phys.; **2007**; 334(1-3); 18-28

DOI: <http://dx.doi.org/10.1016/j.chemphys.2007.02.004>

“One possible origin of ethanol in interstellar medium: Photochemistry of mixed CO_2 - C_2H_6 films at 11 K. A FTIR study”

Schrivier A, Schriver-Mazzuoli L, Ehrenfreund P, d'Hendecourt L.

J. Chem. Phys.; **2007**; 334(1-3); 128-137

DOI: <http://dx.doi.org/10.1016/j.chemphys.2007.02.018>

“The formation of acetic acid (CH₃COOH) in interstellar ice analogs”

Bennett CJ, Kaiswe RI.

Astrophysical Journal; **2007**; 660(2); 1289-1295

DOI: <http://dx.doi.org/10.1086/513267>

“Side-on versus end-on bonding of O-2 to the FSO₃ radical: Matrix isolation and ab initio study of FSO₅”

Beckers H, Carcia P, Willner H, Arguekko GA, Cobos CJ, Francisco JS.

Angewandte Chemie-International Edition; **2007**; 46(20); 3754-3757

DOI: <http://dx.doi.org/10.1002/anie.200604346>

“Effect of Ni(II), Cu(II) and Zn(II) association on the keto-enol tautomerism of thymine in the gas phase”

Elizabeth Rincón, Manuel Yáñez, Alejandro Toro-Labbé and Otilia Mó

Phys. Chem. Chem. Phys.; **2007**; 9; 2531 - 2537

DOI: <http://dx.doi.org/10.1039/b618050g>

“Spectroscopy of cyanodiacetylene in solid argon and the photochemical generation of isocyanodiacetylene”

Coupeaud A, Turowski M, Gronowski M, Pietri N, Couturier-Tamburelli I, Kolos R, Aycard JP

J. Chem. Phys.; **2007**; 126; 164301-8

DOI: <http://dx.doi.org/10.1063/1.2720842>

“Titanium, Zirconium, and Hafnium Metal Atom Reactions with CF₄, CCl₄, and CF₂Cl₂: A Matrix Isolation Spectroscopic and DFT Investigation of Triplet XC⁺MX₃ Complexes”

Lyon, J. T.; Andrews, L.

Organometallic; **2007**; 26(10); 2519-2527.

DOI: <http://dx.doi.org/10.1021/om070120g>

“Reactions of Laser-Ablated La and Y Atoms with CO: Matrix Infrared Spectra and DFT Calculations of the M(CO)_x and MCO⁺ (M = La, Y; x = 1-4) Molecules”

Jiang, L.; Xu, Q.

J. Phys. Chem. A.; **2007**; 111(17); 3271-3277.

DOI: <http://dx.doi.org/10.1021/jp0683667>

”The Synthesis of Dichlorodiazirine and the Generation of Dichlorocarbene: Spectroscopy and Structure of Dichlorocarbene Ylides”

Moss, R. A.; Tian, J.; Sauers, R. R.; Ess, D. H.; Houk, K. N.; Krogh-Jespersen, K.

J. Am. Chem. Soc.; **2007**; 129(16); 5167-5174.

DOI: <http://dx.doi.org/10.1021/ja068727w>

“Remarkable dinitrogen activation and cleavage by the Gd dimer: From dinitrogen complexes to ring and cage nitrides”

Zhou MF, Jin X, Gong Y, Li J

Angewandte Chemie-International Edition; **2007**; 46 (16); 2911-2914

DOI: <http://dx.doi.org/10.1002/anie.200605218>

“Infrared Spectra and Theoretical Calculations of Lithium Hydride Clusters in Solid Hydrogen, Neon, and Argon”

Xuefeng Wang and Lester Andrews

J. Phys. Chem. A; **2007**; 111(27) pp 6008 – 6019

DOI: <http://dx.doi.org/10.1021/jp071251y>

“Recent Progress in Studies of Nanostructured Impurity—Helium Solids”

V.V. Khmelenko, H. Kunttu and D. M. Lee

Journal of Low Temperature Physics, 2007, 148(1-2), 1-31.

DOI: <http://dx.doi.org/10.1007/s10909-007-9353-6>

October, 2007

“Infrared spectra of ClCN⁺, ClNC⁺, and BrCN⁺ trapped in solid neon”

Marilyn E. Jacox and Warren E. Thompson

J. Chem. Phys.; **2007**; 126; 244311.

DOI: <http://dx.doi.org/10.1063/1.2746868>

“High-Valent Technetium Fluorides. Does TcF₇ Exist?”

Riedel, S.; Renz, M.; Kaupp, M.

Inorg. Chem.; (Article); **2007**; 46(14); 5734-5738.

DOI: <http://dx.doi.org/10.1021/ic7007039>

“Infrared Spectrum and Structure of Thorimine (HN≡ThH₂)”

Xuefeng Wang, Lester Andrews, Colin J. Marsden

Chemistry - A European Journal; **2007**; 13(19); 5601-5606.

DOI: <http://dx.doi.org/10.1002/chem.200700183>

“Ultrafast Spectroscopic and Matrix Isolation Studies of *p*-Biphenyl, *o*-Biphenyl, and 1-Naphthylnitrenium Cations”

Wang, J.; Burdzinski, G.; Zhu, Z.; Platz, M. S.; Carra, C.; Bally, T.

J. Am. Chem. Soc.; **2007**; 129(26); 8380-8388.

DOI: <http://dx.doi.org/10.1021/ja071325j>

“Luminescence and Raman Spectra of Acetylacetone at Low Temperatures “

Mohacek-Grosev, V.; Furic, K.; Ivankovic, H.

J. Phys. Chem. A.; **2007**; 111(26); 5820-5827.

DOI: <http://dx.doi.org/10.1021/jp067157j>

“First detection of the C₂ symmetric isomer of carbon pentaoxide (CO₅) at 10 K “

Corey S. Jamieson, Alexander M. Mebel and Ralf I. Kaiser
Chem. Phys. Lett.; **2007**; 443(1-3); 49-54
DOI: <http://dx.doi.org/10.1016/j.cplett.2007.06.009>

“Trifluoro-1,3,5-tridehydrobenzene”
Sugumar Venkataramani, Michael Winkler, Wolfram Sander
Angew. Chem. Int. Ed. Eng.; **2007**; 46(26); 4888-4893.
DOI: <http://dx.doi.org/10.1002/anie.200700536>

“Theoretical Investigations of Isolated Mo(VI) and Mo(IV) Centers of a Molybdena-Silica Catalyst for Olefin Metathesis”
Handzlik, J.
J. Phys. Chem. C.; **2007**; 111(26); 9337-9348.
DOI: <http://dx.doi.org/10.1021/jp071568y>

“Searching blue-shifted O–H···Y hydrogen bond in CH₃OH complexes with CF₄, C₂F₂, OC, Ne, and He: a theoretical study”
G. Liu and T. He
Structural Chemistry; **2007**; 18(3); 387-394.
DOI: <http://dx.doi.org/10.1007/s11224-007-9183-9>

“Water/cyanobutadiyne complexes: an infrared matrix isolation and theoretical study”
A. Coupeaud, N. Piétri, J.-P. Aycard and I. Couturier-Tamburelli
Phys. Chem. Chem. Phys.; **2007**; 9; 3985-3991.
DOI: <http://dx.doi.org/10.1039/b703402d>

“A matrix isolation study on Ac-Gly–NHMe and Ac-L-Ala–NHMe, the simplest chiral and achiral building blocks of peptides and proteins”
Gábor Pohl, András Perczel, Elemér Vass, Gábor Magyarfalvi and György Tarczay
Phys. Chem. Chem. Phys. ; **2007**; 9; 4698-4708.
DOI: <http://dx.doi.org/10.1039/b705098d>

“Matrix-Isolation Infrared Spectroscopic and Theoretical Studies on Reactions of Laser-Ablated Germanium Atoms with Water Molecules”
Teng, Y.-L.; Jiang, L.; Han, S.; Xu, Q.
J. Phys. Chem. A.; **2007**; 111(28); 6225-6231.
DOI: <http://dx.doi.org/10.1021/jp072138a>

“Dynamics of Intramolecular Hydrogen-Atom Migrations in 2-Hydroxy-3-nitropyridine Studied by Low-Temperature Matrix-Isolation Infrared Spectroscopy and Density Functional Theory Calculation”
Nagaya, M.; Nakata, M.
J. Phys. Chem. A.; **2007**; 111(28); 6256-6262.
DOI: <http://dx.doi.org/10.1021/jp0726687>

“Intramolecular Hydrogen Atom Tunneling in 2-Chlorobenzoic Acid Studied by Low-Temperature Matrix-Isolation Infrared Spectroscopy”

Nishino, S.; Nakata, M.

J. Phys. Chem. A.; **2007**; 111(30); 7041-7047.

DOI: <http://dx.doi.org/10.1021/jp0717600>

“Matrix-Isolation Infrared Spectroscopy of the Rotational Isomers of 1,2-, 1,3-, and 1,4-Benzenedicarboxaldehyde”

Ohno, K.; Itoh, T.

J. Phys. Chem. A.; **2007**; 111(30); 7048-7056.

DOI: <http://dx.doi.org/10.1021/jp071330+>

“Sodium Hydride Clusters in Solid Hydrogen and Neon: Infrared Spectra and Theoretical Calculations”

Wang, X.; Andrews, L.

J. Phys. Chem. A.; **2007**; 111(30); 7098-7104.

DOI: <http://dx.doi.org/10.1021/jp0727852>

“Reactions of Late Lanthanide Metal Atoms with Water Molecules: A Matrix Isolation Infrared Spectroscopic and Theoretical Study”

Xu, J.; Jin, X.; Zhou, M.

J. Phys. Chem. A.; **2007**; 111(30); 7105-7111.

DOI: <http://dx.doi.org/10.1021/jp073047g>

“Rotational Dynamics of HCN-M (M = Na, K, Rb, Cs) van der Waals Complexes Formed on the Surface of Helium Nanodroplets”

Doublerly, G. E.; Miller, R. E.

J. Phys. Chem. A.; **2007**; 111(31); 7292-7302.

DOI: <http://dx.doi.org/10.1021/jp070042a>

“Infrared Spectroscopic and Density Functional Theory Study on the Reactions of Rhodium and Cobalt Atoms with Carbon Dioxide in Rare-Gas Matrixes”

Jiang, L.; Teng, Y.-L.; Xu, Q.

J. Phys. Chem. A.; **2007**; 111(32); 7793-7799.

DOI: <http://dx.doi.org/10.1021/jp0728095>

“Oxides of long carbon chains: Results obtained on IR and UV–vis absorptions”

Dmitry Strelnikov, Roman Reusch and Wolfgang Krätschmer

J. Mol. Spectrosc.; **2007**; 243(2); 189-193.

DOI: <http://dx.doi.org/10.1016/j.jms.2007.03.002>

“Gas phase electronic spectrum of linear AlCCH”

Cristina Apetrei, Hongbin Ding and John P. Maier
Phys. Chem. Chem. Phys.; **2007**; 9; 3897-3901.
DOI: <http://dx.doi.org/10.1039/b706384a>

“Infrared Multiphoton Dissociation Spectra as a Probe of Ion Molecule Reaction Mechanism: The Formation of the Protonated Water Dimer via Sequential Bimolecular Reactions with 1,1,3,3-Tetrafluorodimethyl Ether”
R. A. Marta, T. B. McMahon, and T. D. Fridgen
J. Phys. Chem. A.; **2007**; 111(36); 8792 – 8802
DOI: <http://dx.doi.org/10.1021/jp0722253>

“Vibrational spectroscopy of interstellar molecules”
J. Szczepanski and M. Vala
Eur. Phys. J.-Special Topics; 2007; 144; 27-40
DOI: <http://dx.doi.org/10.1140/epjst/e2007-00106-y>

“Photochemical *cis-trans* Isomerization of *cis*-(η^6 -1,2-Diphenylethene)Cr(CO)₃ and the Molecular Structure of *trans*-(η^6 -1,2-Diphenylethene)Cr(CO)₃”
Anthony Coleman, Sylvia M. Draper, Conor Long, and Mary T. Pryce
J. Phys. Chem. A.; **2007**; 111(17); 4128 – 4134.
DOI: <http://dx.doi.org/10.1021/om060773h>

“Contributions of phonon and vacancy excitation to thermodynamic properties of solid helium”
Vekhov Ye.O., Grigor'ev V.N., Maidanov V.A., Mikhin N.P., Rubanskiy V.Yu., Rubets S.P., Rudavskii E.Ya., Rybalko A.S., Syrnikov E.V., and Tikhiv V.A.
FNT; **2007**; 33(8); 835.

“IR spectra of water polyaggregates in nitrogen cryomatrix”
Drobyshev A., Abdikalykov K., Aldiyrov A., Kurnosov V., Tokmoldin N., and Zhmagaliuly D.
FNT; **2007**; 33(8); 916.

“Luminescence and Raman scattering of nonpolymerized and photopolymerized fullerene films at 297 and 5 K”
Karachevtsev V.A., Glamazda A.Yu., Pashinska V.A., Peshanskii A.V., Plokhhotnichenko A.M., and Fomin V.I.
FNT; **2007**; 33(8); 923.

“Microwave absorption saturation and decay heating of surface electrons on liquid helium”
Monarkha Yuriy, Konstantinov Denis, and Kono Kimitoshi
FNT; **2007**; 33(8); 942.

“The unusual properties of anisotropic systems of quasiparticles in superfluid ⁴He”
Adamenko I.N., Nemchenko K.E., Slipko V.A., and Wyatt A.F.G.

FNT; **2007**; 33(9); 1008.

“Charged snowball in nonpolar liquid”

Chikina I., Shikin V., and Varlamov A.

FNT; **2007**; 33(9); 1016.

November, 2007

“Formation and Characterization of the Oxygen-Rich Hafnium Dioxygen Complexes: $\text{OHf}(\eta^2\text{-O}_2)(\eta^2\text{-O}_3)$, $\text{Hf}(\eta^2\text{-O}_2)_3$, and $\text{Hf}(\eta^2\text{-O}_2)_4$ ”

Gong, Y.; Zhou, M.

J. Phys. Chem. A.; 2007; 111(37); 8973-8979.

DOI: <http://dx.doi.org/10.1021/jp074531m>

“Anomeric Effects in the Symmetrical and Asymmetrical Structures of Triethylamine. Blue-Shifts of the C-H Stretching Vibrations in Complexed and Protonated Triethylamine”

Chandra, A. K.; Parveen, S.; Zeegers-Huyskens, T.

J. Phys. Chem. A.; 2007; 111(36); 8884-8891.

DOI: <http://dx.doi.org/10.1021/jp0738715>

“Absolute Configuration and Conformation Analysis of 1-Phenylethanol by Matrix-Isolation Infrared and Vibrational Circular Dichroism Spectroscopy Combined with Density Functional Theory Calculation “

Shin-ya, K.; Sugeta, H.; Shin, S.; Hamada, Y.; Katsumoto, Y.; Ohno, K.

J. Phys. Chem. A.; 2007; 111(35); 8598-8605.

DOI: <http://dx.doi.org/10.1021/jp068448v>

“Formation and properties of metal clusters isolated in helium droplets”

Josef Tiggesbäumker and Frank Stienkemeier

Phys. Chem. Chem. Phys., 2007, 9, 4748 – 4770.

DOI: <http://dx.doi.org/10.1039/b703575f>

“Effect of matrix on IR frequencies of acetylene and acetylene-methanol complex: Infrared matrix isolation and ab initio study”

K. V. Jovan Jose, Shridhar R. Gadre, K. Sundararajan, and K. S. Viswanathan

J. Chem. Phys.; 2007; 127;104501.

DOI: <http://dx.doi.org/10.1063/1.2752159>

“Determination of the tautomeric structures of uracil thiosubstituted derivatives by IR and RRS spectroscopy”

G. N. Ten, T. G. Burova, and V. I. Baranov

J. Struct. Chem.; 2007; 48; 447-455.

DOI: <http://dx.doi.org/10.1007/s10947-007-0067-z>

“Vibrational properties of thymine, uracil and their isotopomers”

Soujanya Yarasi, Brant E. Billingham, Glen R. Loppnow

Journal of Raman Spectroscopy; 2007; 38; 1117-1126.

DOI: <http://dx.doi.org/10.1002/jrs.1722>

“Matrix isolation and ab initio study of the HXeCCH[cellip]CO₂ complex”

Hanna Tanskanen, Susanna Johansson, Antti Lignell, Leonid Khriachtchev, and Markku Räsänen

J. Chem. Phys.; 2007; 127; 154313/1-154313/7.

DOI: <http://dx.doi.org/10.1063/1.2780846>

“Matrix-isolation FT-IR and theoretical investigation of the vibrational properties of the sterically hindered ortho-hydroxy acylaromatic Schiff bases”

J. Pajak, G. Maes, W.M. De Borggraeve, N. Boens and A. Filarowski

J. Mol. Struct; 2007; 844-845; 83-93.

DOI: <http://dx.doi.org/10.1016/j.molstruc.2007.04.004>

“Formaldoxime dimers: Infrared matrix isolation and theoretical study”

Barbara Golec and Zofia Mielke

J. Mol. Struct; 2007; 844-845; 242-249

DOI: <http://dx.doi.org/10.1016/j.molstruc.2007.04.010>

“Methanesulfonyl fluoride, CH₃SO₂F, a missing link in the family of sulfonyl halides: formation and characterization through the matrix photochemistry of methyl thiofluoroformate, FC(O)SCH₃”

Rosana M. Romano, Carlos O. Della Védova, Anthony J. Downs

Chemistry--A European Journal (2007), 13(29), 8185-8192.

DOI: <http://dx.doi.org/10.1002/chem.200700118>

“Matrix isolation spectroscopy and molecular dynamics simulations for 2,7,12,17-tetra-tert-butylporphycene in argon and xenon”

Alexander Kyrychenko, Sylwester Gawinkowski, Natalia Urbańska, Marek Pietraszkiewicz, and Jacek Waluk

J. Chem. Phys.; 2007; 127(13); 134501/1-134501/12

DOI: <http://dx.doi.org/10.1063/1.2774983>

“Formamide Dimers: A Computational and Matrix Isolation Study”

Artur Mardyukov, Elsa Sánchez-García, Paweł Rodziewicz, Nikos L. Doltsinis, and Wolfram Sander

J. Phys. Chem. A; 2007; 111; 10552 – 10561.

DOI: <http://dx.doi.org/10.1021/jp074927y>

“Matrix Isolation Infrared Spectroscopic and Theoretical Study of Dinuclear Chromium Oxide Clusters: Cr₂O_n (n = 2, 4, 6) in Solid Argon”

QingQing Zhang, Yanying Zhao, Yu Gong, and Mingfei Zhou

J. Phys. Chem. A.; 2007; 111; 9775 – 9780.

DOI: <http://dx.doi.org/10.1021/jp073599z>

January, 2008

“Reversible Formation of Organyl(oxo)boranes (RBO) ($R = C_6H_5$ or CH_3) from Boroxins $((RBO)_3)$: A Matrix Isolation Study”

Bettinger, H. F.

Organometallics; 2007; 26(25); 6263-6267.

DOI: <http://dx.doi.org/10.1021/om061057i>

“Methyldiyne $XC\equiv MX_3$ ($M = Cr, Mo, W$; $X = H, F, Cl$) Diagnostic C-H and C-X Stretching Absorptions and Methylidene $CH_2=MX_2$ Analogues”

Lyon, J. T.; Cho, H.-G.; Andrews, L.

Organometallics; 2007; 26(25); 6373-6387.

DOI: <http://dx.doi.org/10.1021/om700689e>

“Formation and Characterization of the Photochemically Interconvertible Side-On and End-On Bonded Dioxxygen-Iron Dioxide Complexes in Solid Argon”

Gong, Y.; Zhou, M.; Andrews, L.

J. Phys. Chem. A.; 2007; 111(47); 12001-12006.

DOI: <http://dx.doi.org/10.1021/jp0765805>

“Early barriers in the matrix photochemical formation of syn-anti randomized $FC(O)SeF$ from the $OCSe : F-2$ complex”

Castano, J ; Picone, A ; Romano, R ; Willner, H ; Vedova, C

Chemistry-A European Journal; 2007; 13(33); 9355-9361

DOI: <http://dx.doi.org/10.1002/chem.200700378>

“Mercury is a transition metal: The first experimental evidence for HgF_4 ”

Wang, X ; Andrews, L ; Riedel, S ; Kaupp, M

Angewandte Chemie-International Edition; 2007; 46(44); 8371-8375

DOI: <http://dx.doi.org/anie.200703710>

“Keto–iminol tautomerism in acetohydroxamic and formohydroxamic acids: Experimental and theoretical study”

Magdalena Sałdyka, and Zofia Mielke

Vibrational Spectroscopy; (2007); 45(1); 46-54

DOI: <http://dx.doi.org/10.1016/j.vibspec.2007.06.003>

“Formation and Characterization of the Oxygen-Rich Scandium Oxide/Dioxygen Complexes ScO_n ($n = 4, 6, 8$) in Solid Argon”

Gong, Y.; Ding, C.; Zhou, M.

J. Phys. Chem. A.; 2007; 111(45); 11572-11578.

DOI: <http://dx.doi.org/10.1021/jp075470v>

“UV-induced photochemistry of matrix-isolated 1-phenyl-4-allyl-tetrazolone”
L. M. T. Frija, I. D. Reva, A. Gómez-Zavaglia, M. L. S. Cristiano and R. Fausto
Photochem. Photobiol. Sci.; 2007; 6; 1170 - 1176,
DOI: <http://dx.doi.org/10.1039/b703961a>

“On the mechanism of proton transfer in imidazole”
G. N. Ten, T. G. Burova and V. I. Baranov
Journal of Structural Chemistry; 2007; 48(4); 623-633
DOI: <http://dx.doi.org/10.1007/s10947-007-0095-8>

“Low-temperature complexes of europium atoms and dimers with cyanophenylpyridines and alkylcyanophenylpyridines”
T. I. Shabatina, A. V. Vlasov, A. Yu. Ermilov, S. V. Konyukhov, S. V. Nemukhin and G. B. Sergeev
Journal of Structural Chemistry; 2007; 48(4); 765-773
DOI: <http://dx.doi.org/10.1007/s10947-007-0117-6>

“Structure and Stability of the Organo-Noble Gas Molecules XNgCCX and XNgCCNgX (Ng = Kr, Ar; X = F, Cl)”
Yockel, S.; Gawlik, E.; Wilson, A. K.
J. Phys. Chem. A.; 2007; 111(44); 11261-11268.
DOI: <http://dx.doi.org/10.1021/jp071242p>

“The infrared spectroscopy of the products of ion–molecule reactions trapped in the solid rare gases”
Marilyn E. Jacox
Int. J. Mass Spectrom.; 2007; 267(1-3); 268-276.
DOI: <http://dx.doi.org/10.1016/j.ijms.2007.02.046>

“Infrared Spectra of Protonated Uracil, Thymine and Cytosine”
Jean-Yves Salpin, Sébastien Guillaumont, Jeanine Tortajada, Luke MacAleese, Joël Lemaire, Philippe Maitre
ChemPhysChem; 2007; 8(15) ; 2235-2244
DOI: <http://dx.doi.org/10.1002/cphc.200700284>

“Methanesulfenyl Fluoride, CH₃SF, a Missing Link in the Family of Sulfenyl Halides: Formation and Characterization through the Matrix Photochemistry of Methyl Thiofluoroformate, FC(O)SCH₃”
Rosana M. Romano, Carlos O. Della Védova, Anthony J. Downs
Chemistry - A European Journal; 2007; 13(29); 8185-8192
DOI: <http://dx.doi.org/10.1002/chem.200700118>

“Vibrational Spectra and Structure of CH₃Cl:(H₂O)₂ and CH₃Cl:(D₂O)₂ Complexes. IR Matrix Isolation and ab Initio Calculations”
Dozova, N.; Krim, L.; Alikhani, M. E.; Lacombe, N.
J. Phys. Chem. A.; 2007; 111(40); 10055-10061.

DOI: <http://dx.doi.org/10.1021/jp074028+>

“High resolution EPR spectroscopy of C60F and C70F in solid argon: Reassignment of C70F regioisomers”

E. Ya. Misochko, A. V. Akimov, V. A. Belov, D. A. Tyurin, D. N. Laikov
J. Chem. Phys.; 2007; 127; 084301.

DOI: <http://dx.doi.org/10.1063/1.2768350>

“Photochemical Synthesis of H2O2 from the H2O...O(3P) van der Waals Complex: Experimental Observations in Solid Krypton and Theoretical Modeling”

Susanna Pehkonen, Kseniya Marushkevich, Leonid Khriachtchev, Markku Räsänen, Bella L. Grigorenko, and Alexander V. Nemukhin
J. Phys. Chem. A; 2007; 111(45); 11444 -11449.

DOI: <http://dx.doi.org/10.1021/jp075233s>

“Optical spectra and covalent chemistry of fulleropyrrolidines”

International Journal of Quantum Chemistry; 2007; 107(14); 2787-2802.

B. S. Razbirin, A. N. Starukhin, D. K. Nelson, E. F. Sheka, M. Prato

DOI: <http://dx.doi.org/10.1002/qua.21391>

“Unpaired and Sigma-Bond Electrons as H, Cl, and Li Bond Acceptors: An Anomalous One-Electron Blue-Shifting Chlorine Bond”

Raghavendra, B.; Arunan, E.

J. Phys. Chem. A.; 2007; 111(39); 9699-9706.

DOI: <http://dx.doi.org/10.1021/jp073667h>

“High selectivity of F atom addition to the asymmetric chemical bonds of C70 fullerene”

Eugenii Ya. Misochko, Alexander V. Akimov, Vasilii A. Belov, Daniil A. Tyurin, and Dimitri N. Laikov

Mendelev Commun.; 2007; 17(5), 274-276.

“Nonlinear excitation of temperature waves in superfluid solutions 3He-4He due to light waves absorption”

Pushkina N.I.

FNT; 2007; 33(10); 1067.

“The features of phase stratification kinetics of 4He-3He solutions in conditions of coexistence of liquid and solid phases”

Grigor'ev V.N., Degtyaryov I.A., and Sokolov S.S.

FNT; 2007; 33(10); 1071.

“Intercalation of fullerite C60 with N2 molecules. An investigation by x-ray powder diffraction”

Galtsov N.N., Prokhvatilov A.I., Dolgova G.N., Cassidy D., Gadd G.E., Moricca S., and Sundqvist B.

FNT; 2007; 33(10); 1159.

“Anomalies of conductivity in a quasi-one-dimensional electron system over liquid helium”

Kovdrya Yu.Z., Nikolaenko V.A., and Smorodin A.V.
FNT; 2007; 33(10); 1166.

“Effect of electrical field on the quantized vortices in He II”

Natsik V.D.
FNT; 2007; 33(12); 1319.

“Fullerene C₂₄ in terms of the Hubbard model”

Izergin E.D. and G.I. Mironov
FNT; 2007; 33(12); 1365.

Danylchenko O.G., Kovalenko S.I., and Damovarov V.N.

“Structure of mixed clusters formed in supersonic jets of gas mixtures Ar-N₂”
FNT; 2007; 33(12); 1371.

“Orientational isotopic effects in the thermal conductivity of solid CH₄/CD₄ solutions”

Krivchikov A.I., Stachowiak P., Pisarska E., and Jezowski A.
FNT; 2007; 33(12); 1393.

“Specific features of thermal expansion and polyamorphism in CH₄-C₆₀ solutions at low temperatures”

Dolbin A.V., Esel'son V.B., Gavrilko V.G., Manzhelii V.G., Vinnikov N.A., Gadd G.E., Moricca S., Cassidy D., and Sundqvist B.
FNT; 2007; 33(12); 1401.

March 1st, 2008-02-27

“Fourier transform infrared observation of the $\nu_3(\sigma_u)$ vibration of NiC₃Ni in solid Ar”

R.W. Kinzer, Jr., C.M.L. Rittby, and W.R.M. Graham
J. Chem. Phys.; 2008; 064312.
DOI: <http://dx.doi.org/10.1063/1.2827460>

“Fourier transform infrared observation of the $\nu_1(\sigma_g)$ mode of linear CoC₃ trapped in solid Ar”

S.A. Bates, J.A. Rhodes, C.M.L. Rittby, and W.R.M. Graham
J. Chem. Phys.; 2007; 127; 064506.
DOI: <http://dx.doi.org/10.1063/1.2756520>

“C.S. Jamieson, A.M. Mebel, R.I. Kaiser, First detection of the Cs Symmetric Isomer of Carbon Hexaoxide (CO₆) at 10 K.”

Chem. Phys. Lett; 2008; 450; 312–317.
DOI: <http://dx.doi.org/10.1016/j.cplett.2007.11.052>

“Identification of the Matrix Shift: A Fingerprint for Neutral Neon Complex?”
Taketsugu, Y.; Noro, T.; Taketsugu, T.
J. Phys. Chem. A.; 2008; 112(5); 1018-1023.
DOI: <http://dx.doi.org/10.1021/jp710792c>

“Matrix Isolation Chemistry in a Porous Metal-Organic Framework: Photochemical Substitutions of N₂ and H₂ in Zn₄O[(n⁶-1,4-Benzenedicarboxylate)Cr(CO)₃]₃”
Kaye, S. S.; Long, J. R.
J. Am. Chem. Soc.; 2008; 130(3); 806-807.
DOI: <http://dx.doi.org/10.1021/ja7102108>

“Thioperoxy Derivative Generated by UV-Induced Transformation of *N*-Hydroxypyridine-2(1*H*)-thione Isolated in Low-Temperature Matrixes”
Lapinski, L.; Gerega, A.; Sobolewski, A. L.; Nowak, M. J.
J. Phys. Chem. A.; 2008; 112(2); 238-248.
DOI: <http://dx.doi.org/10.1021/jp077365r>

“Formation of Phenoxy and Cyclopentadienyl Radicals from the Gas-Phase Pyrolysis of Phenol”
Khachatryan, L.; Adoukpe, J.; Dellinger, B.
J. Phys. Chem. A.; 2008; 112(3); 481-487.
DOI: <http://dx.doi.org/10.1021/jp073999m>

“Molecular Structure, Vibrational Spectra, Quantum Chemical Calculations and Photochemistry of Picolinamide and Isonicotinamide Isolated in Cryogenic Inert Matrixes and in the Neat Low-Temperature Solid Phases”
Borba, A.; Gomez-Zavaglia, A.; Fausto, R.
J. Phys. Chem. A.; 2008; 112(1); 45-57.
DOI: <http://dx.doi.org/10.1021/jp0765547>

“Crystal field splitting of rovibrational transitions of water monomers isolated in solid parahydrogen”
Mario E. Fajardo and C. Michael Lindsay
J. Chem. Phys. 128, 014505 (2008);
DOI: <http://dx.doi.org/10.1063/1.2816705>

“Formamide Dimers: A Computational and Matrix Isolation Study”
Mardyukov, A.; Sanchez-Garcia, E.; Rodziewicz, P.; Doltsinis, N. L.; Sander, W.
J. Phys. Chem. A.; 2007; 111(42); 10552-10561.
DOI: <http://dx.doi.org/10.1021/jp074927y>

“Matrix Isolation Infrared Spectroscopic and Density Functional Theory Studies on the Reactions of Yttrium and Lanthanum Hydrides with Carbon Monoxide”

Teng, Y.-L.; Xu, Q.

J. Phys. Chem. A.; 2007; 111(51); 13380-13386.

DOI: <http://dx.doi.org/10.1021/jp076053l>

“Conformations of 1-heptene secondary ozonide as studied by low temperature FT-IR spectroscopy”

R. Bariseviciute, J. Ceponkus, V. Sablinskas and L. Kimty

J. Mol. Struct.; 2007; 844-845; 186-192.

DOI: <http://dx.doi.org/10.1016/j.molstruc.2007.04.041>

“Matrix isolation infrared spectroscopic and theoretical study of the BNNO and AlNNO molecules”

Guanjun Wang and Mingfei Zhou

J. Chem. Phys.; 2007; 342(1-3); 90-94

DOI: <http://dx.doi.org/10.1016/j.chemphys.2007.09.024>

“Matrix-isolation infrared spectroscopic and density functional theory studies on reactions of laser-ablated lead and tin atoms with water molecules”

Teng, YL; Jiang, L.; Han, S.; Xu, Q.

Bull. Chem. Soc. Japan; 2007; 80(11); 2149-2156.

DOI: <http://dx.doi.org/10.1246/bcsj.80.2149>

“Selective Formation of Triplet Alkyl Nitrenes from Photolysis of B-Azido-Propiophenone and Their Reactivity”

Singh, P. N. D.; Mandel, S. M.; Sankaranarayanan, J.; Muthukrishnan, S.; Chang, M.; Robinson, R. M.; Lahti, P. M.; Ault, B. S.; Gudmundsdottir, A. D.

J. Am. Chem. Soc.; 2007; 129(51); 16263-16272.

DOI: <http://dx.doi.org/10.1021/ja077523s>

“Matrix isolation infrared spectroscopic and theoretical study of noble gas coordinated dipalladium–dioxygen complexes”

Rui Yang, Yu Gong and Mingfei Zhou

Chemical Physics; 2007; 340(1-3); 134-140.

DOI: <http://dx.doi.org/10.1016/j.chemphys.2007.08.010>

“Determination of vibrational parameters of methanol from matrix-isolation infrared spectroscopy and ab initio calculations. Part 1 – Spectral analysis in the domain 11 000–200 cm⁻¹”

J.P. Perchard, F. Romain and Y. Bouteiller

Chem. Phys.; 2008; 343(1); 35-46.

DOI: <http://dx.doi.org/10.1016/j.chemphys.2007.10.007>

“Ab initio MP2 and FTIR matrix isolation studies on tert-butanethiol complexes with water”

Maria Wierzejewska and Daniel J. Sompolski
J. Mol. Struct.; 2008; 872(2-3); 166-175.
DOI: <http://dx.doi.org/10.1016/j.molstruc.2007.02.037>

“Proton transfer in strong hydrogen bonds revealed by infrared spectra - Correlations between structure and spectra for the BrH : NH₃ complex”
Szczepaniak K, Person WB
ACTA PHYSICA POLONICA A; 112; S19-S38

“The structure of SiH₄ solid phases”
Prokhvatilov A.I., Galtsov N.N., Klimenko N.A., and Strzhemechny M.A.
FNT, V. 34, No. 2, p. 185 (2008)

“Local vibration in real crystals with combined defects”
Gospodarev I.A., Kotlyar A.V., Manzhelii E.V., and Feodosyev S.B.
FNT, V. 34, No. 2, p.197 (2008)

“Equations of motions and velocities of longitudinal waves for superfluid 3He-A field aerogel in the presence of finite magnetic field”
Kekutia Sh.E. and Chkhaidze N.D.
FNT, V. 34, No. 3, p. 215 (2008)

“Lattice parameters and thermal expansion of silane SiH₄”
Galtsov N.N., Klimenko N.A., and Prokhvatilov A.I.
FNT, V. 34, No. 3, p.293 (2008)

“Optically-stimulated desorption of "hot" excimers from pre-irradiated Ar solids”
Gumenchuk G.B., Khyzhniy I.V., Ponomaryov A.N., Bludov M.A., Savchenko E.V., and Bondybey V.E.
FNT, V. 34, No. 3, p.309 (2008)

May, 2008

“EPR and IR spectra of the FSO₃ radical revisited: Strong vibronic interactions in the 2A₂ electronic ground state”
H. Beckers,¹ H. Willner,¹ D. Grote,² and W. Sander²
J. Chem. Phys.; 2008; 128, 084501.
DOI: <http://dx.doi.org/10.1063/1.2831511>

“Matrix Isolation, Spectroscopic Characterization, and Photoisomerization of m-Xylylene”
Neuhaus, P.; Grote, D.; Sander, W.
J. Am. Chem. Soc.; 2008; 130(10); 2993-3000.
DOI: <http://dx.doi.org/10.1021/ja073453d>

“Electronic structure of oxide, peroxide, and superoxide clusters of the 3d elements: A comparative density functional study”

Ellie L. Uzunova, Hans Mikosch and Georgi St. Nikolov

J. Chem. Phys.; 2008; 128; 094307.

DOI: <http://dx.doi.org/10.1063/1.2831583>

“Photoinduced transformation of matrix-isolated methyl 2-pyrone-3-carboxylate into methyl 2-pyrone-5-carboxylate via intramolecular hydrogen shift in open-ring aldehyde–ketene”

Igor Reva, Maciej J. Nowak, Leszek Lapinski, and Rui Fausto

Chem. Phys. Lett.; 2008; 452; 20.

DOI: <http://dx.doi.org/10.1016/j.cplett.2007.12.027>

“Ab initio and matrix isolation study of the acetylene–furan dimer”

Elsa Sánchez-García^a, Artur Mardyukov^a, Adem Tekin^b, Rachel Crespo-Otero^c, Luis A. Montero^c, Wolfram Sandera^a, and Georg Janse

Chem. Phys.; 2008; 343(2-3); 168-185.

DOI: <http://dx.doi.org/10.1016/j.chemphys.2007.09.053>

“A matrix isolation study on Ac–I-Pro–NH₂: a frequent structural element of β- and γ-turns of peptides and proteins”

Gábor Pohl^a, András Perczel^{a, b}, Elemér Vass^c, Gábor Magyarfalvi^d and György Tarczay

Tetrahedron; 2008; 64(9); 2126-2133.

DOI: <http://dx.doi.org/10.1016/j.tet.2007.12.037>

“Structure, spectra and stability of a tetrafluoromethane–water complex”

Krzysztof Mierzwicki, Zofia Mielke, Magdalena Sałdyka, Stephane Coussan and Pascale Roubin

Phys. Chem. Chem. Phys.; 2008; 10; 1292 – 1297.

DOI: <http://dx.doi.org/10.1039/b714145a>

“Conformational Space of the Pseudosaccharin Allyl Ether 3-(Allyloxy)-1,2-benzisothiazole 1,1-Dioxide in Gas Phase and in Rare Gas Matrices”

Gomez-Zavaglia, A.; Kaczor, A.; Almeida, R.; Cristiano, M. d. L. S.; Fausto, R.
J. Phys. Chem. A.; 2008; 112(8); 1762-1772.

DOI: <http://dx.doi.org/10.1021/jp0770918>

“Bonding Rearrangements of Hydrogen-Bonded Complexes Involving Alkynes”

Kryachko, E. S.; Scheiner, S.

J. Phys. Chem. A.; 2008; 112(9); 1940-1945.

DOI: <http://dx.doi.org/10.1021/jp076795e>

“Probing the intermediates in the MO + CH₄ ↔ M + CH₃OH reactions by matrix isolation infrared spectroscopy”

Authors: Guanjun Wang ^a; Mingfei Zhou

International Reviews in Physical Chemistry; [27](#)(1); 1 – 25.
DOI: <http://dx.doi.org/10.1080/01442350701685946>

“Radiation chemistry of H₂O + O₂ ices”
Paul D. Cooper^a, Marla H. Moore^a and Reggie L. Hudson
Icarus; 2008; 194; 379.
DOI: <http://dx.doi.org/10.1016/j.icarus.2007.10.002>

“Formation of Nitrogen and Hydrogen-bearing Molecules in Solid Ammonia and Implications for Solar System and Interstellar Ices”
Weijun Zheng, David Jewitt, Yoshihiro Osamura, Ralf I. Kaiser
The Astrophysical Journal; 2008; 674; 1242–1250.
DOI: <http://dx.doi.org/10.1086/523783>

“Matrix Isolation Infrared Observation of H_xSi(N₂)_y (x = 0, 1, 2 and y = 1, 2) Transient Species Using a 121-nm Vacuum Ultraviolet Photolysis Source”
Amicangelo, J. C.; Dine, C. T.; Irwin, D. G.; Lee, C. J.; Romano, N. C.; Saxton, N. L.
J. Phys. Chem. A.; 2008; 112(14); 3020-3030.
DOI: <http://dx.doi.org/10.1021/jp076466m>

“Interplay between theory and experiment in investigations of molecules embedded in superfluid helium nanodroplets”
Krzysztof Szalewicz
Int. Rev. Phys. Chem.; 2008; 27(2); 273-316.
DOI: <http://dx.doi.org/10.1080/01442350801933485>

“Reactions of Thorium Atoms with Polyhalomethanes: Infrared Spectra of the CH₂=ThX₂, HC≡ThX₃, and XC≡ThX₃ Molecules”
Eur. J. of Inorg. Chem.; 2008, Issue 7; 1047-1058
Jonathan T. Lyon, Lester Andrews
DOI: <http://dx.doi.org/10.1002/ejic.200701048>
Cover Picture: (<http://www3.interscience.wiley.com/cgi-bin/fulltext/117914785/PDFSTART>)

“Infrared spectra of (HCOOH)₂ and (DCOOH)₂ in rare gas matrices: A comparative study with gas phase spectra”
F. Ito
J. Chem. Phys.; 2008; 128; 114310.
DOI: <http://dx.doi.org/10.1063/1.2841078>

“Nuclear spin conversion of methane in solid parahydrogen”
Yuki Miyamoto, Mizuho Fushitani, Daisuke Ando, and Takamasa Momose
J. Chem. Phys.; 2008; 128; 114502.
DOI: <http://dx.doi.org/10.1063/1.2889002>

“Time evolution of the ν₂ IR absorption of (o-H₂)_n:H₂O clusters (n = 11–1), and increase of H₂O rotation, in O₂ doped solid hydrogen at 4.2 K”

L. Abouaf-Marguin, A.-M. Vasserot, C. Pardanaud, J. Stienlet and X. Michaut
Chem. Phys. Lett.; 2008; 454(1-3); 61-64.
DOI : <http://dx.doi.org/10.1016/j.cplett.2008.01.081>

“A site-selective spectroscopy of naphthalene and quinoline in TEOS/MTEOS xerogels”
C. Crépin, V. Dubois, F. Goldfarb, F. Chaput and J. P. Boilot
Phys. Chem. Chem. Phys.; 2005; 7; 1933-1938.
DOI: <http://dx.doi.org/10.1039/b500578g>

“Environment effect on the vibrational dephasing of HCl, and HCl containing complexes, probed in van der Waals solids”
M. Broquier, B. Lebech and C. Crépin
Chem. Phys. Chem.; 2005; 416(1-3); 121-127.
DOI: <http://dx.doi.org/10.1016/j.cplett.2005.09.042>

“Influence of complexation and solid environment on the vibrational coherence of DCI”
M. Broquier¹, C. Crépin¹, A. Cuisset, H. Dubost, and J. P. Galaup
Eur. Phys. J. D.; 2005; 36(1); 41-47.
DOI: <http://dx.doi.org/10.1140/epjd/e2005-00246-x>

“IR spectra and vibrational dephasing of the CO stretching mode in W(CO)₆ doped cryogenic matrices”
M. Broquier, C. Crépin, H. Dubost, and J.-P. Galaup
Chem. Phys.; 2007; 341(1-3); 207-217.
DOI: <http://dx.doi.org/10.1016/j.chemphys.2007.06.030>

“Influence of a Weak Hydrogen Bond on Vibrational Coherence Probed by Photon Echoes in DCI Dimer Trapped in Solid Nitrogen”
M. Broquier, C. Crépin, A. Cuisset, H. Dubost, and J. P. Galaup
J. Phys. Chem. A, 109 (22), 4873 -4880, 2005.
DOI: <http://dx.doi.org/10.1021/jp0509921>

July, 2008

Vibrational energy levels for the electronic ground state of the diazocarbene (CNN) molecule

Authors: Stuart Carter a; Nicholas C. Handy b; Yukio Yamaguchi c; Justin M. Turney c; Henry F. Schaefer III c
Molecular Physics, 2008, 106(2-4), 357-365.
<http://dx.doi.org/10.1080/00268970701834658>

Molecular structure and vibrational spectra of 4-, 5-, 6-chloroindole
Haci Ozisik¹, Semran Saglam¹ and Sevgi Haman Bayar
Structural Chemistry, 2008, 19(1); 41-50.
<http://dx.doi.org/10.1007/s11224-007-9247-x>

Thermal fragmentation of the guanidinato aluminum amide precursor [Me₂NC((NPr)-Pr-i)(2)]Al(NMe₂)(2): An investigation of reactive species by matrix-isolation FTIR spectroscopy and time-of-flight mass spectrometry

Ziffle, L ; Kenney, A ; Barry, S ; Muller, J

Polyhedron; 2008; 27(6); 1832-1840

<http://dx.doi.org/10.1016/j.poly.2008.02.024>

Structure of Isolated 1,4-Butanediol: Combination of MP2 Calculations, NBO Analysis, and Matrix-Isolation Infrared Spectroscopy

Jesus, A. J. L.; Rosado, M. T. S.; Reva, I.; Fausto, R.; Eusébio, M. E. S.; Redinha, J. S.

J. Phys. Chem. A.; 2008; 112(20); 4669-4678.

<http://dx.doi.org/10.1021/jp7116196>

Ethene Insertion into Vanadium Hydride Intermediates Formed via Vanadium Atom Reaction with Water or Ethene: A Matrix Isolation Infrared Spectroscopic Study

Thompson, M. G. K.; Parnis, J. M.

Inorg. Chem.; 2008; 47(10); 4045-4053.

<http://dx.doi.org/10.1021/ic701653v>

A Small Neutral Molecule with Two Noble-Gas Atoms: HXeOXeH

Khriachtchev, L.; Isokoski, K.; Cohen, A.; Räsänen, M.; Gerber, R. B.

J. Am. Chem. Soc.; 2008; 130(19); 6114-6118.

<http://dx.doi.org/10.1021/ja077835v>

Prediction of metastable metal-rare gas fluorides: FMRgF (M = Be and Mg; Rg = Ar, Kr and Xe)

Jayasekharan, T ; Ghanty, T

J. Chem. Phys.; 2008; 128(14); 1443-14.

<http://dx.doi.org/10.1063/1.2899015>

The C₃N⁻ anion: First detection of its electronic luminescence in rare gas solids

Turowski, M ; Gronowski, M ; Boye-Peronne, S ; Douin, S ; Moneron, L ; Crepin, C

J. Chem. Phys. 2008; 128(16); 164304.

<http://dx.doi.org/10.1063/1.2904876>

Far-Infrared Band Strengths in the Water Dimer: Experiments and Calculations

Ceponkus, J.; Uvdal, P.; Nelander, B.

J. Phys. Chem. A.; 2008; 112(17); 3921-3926.

<http://dx.doi.org/10.1021/jp711178w>

Theoretical and experimental study of the vibrational spectra of 1,5-dimethylcytosine

Brandan, S ; Benzal, G ; Garcia-Ramos, J ; Otero, J ; Altabef, A

Vibrational Spectroscopy; 2008; 46(2); 89-99.

<http://dx.doi.org/10.1016/j.vibspec.2007.11.001>

Molecular structure and infrared spectra of the monomeric 3-(methoxy)-1,2-benzisothiazole 1,1-dioxide (methyl pseudosaccharyl ether)

Kaczor, A ; Almeida, R ; Gomez-Zavaglia, A ; Cristiano, M ; Fausto, R

J. Mol. Struct.; 2008; 876(1-3); 77-85.

<http://dx.doi.org/10.1016/j.molstruc.2007.06.004>

Photolysis of open-chain 1,2-diazidoalkenes: generation of 2-azido-2*H*-azirines, formyl cyanide, and formyl isocyanide

Banert, K ; Fotsing, J ; Hagedorn, M ; Reisenauer, H ; Maier, G

Tetrahedron; 2008; 64(24); 5645-5648.

<http://dx.doi.org/10.1016/j.tet.2008.04.037>

Capture of hydroxymethylene and its fast disappearance through tunneling

Peter R. Schreiner, Hans Peter Reisenauer, Frank C. Pickard IV, Andrew C. Simmonett,

Wesley D. Allen, Edit Matyus, Attila G. Csaszar

Nature; 2008; 453(7197); 906-909.

<http://dx.doi.org/10.1038/nature07010>

Formation and Characterization of Mononuclear and Dinuclear Manganese Oxide-Dioxygen Complexes in Solid Argon

Gong, Y.; Wang, G.; Zhou, M.

J. Phys. Chem. A.; 2008; 112(22); 4936-4941.

<http://dx.doi.org/10.1021/jp800955e>

Unique Structural Trends in the Lanthanoid Oxocarbonyl Complexes

Jiang, L.; Zhang, X.-B.; Han, S.; Xu, Q.

Inorg. Chem.; 2008; 47(11); 4826-4831.

<http://dx.doi.org/10.1021/ic800112d>

Infrared detection of dithioglyoxal from photolysis of 1,3-dithiol-2-one in solid argon and nitrogen

Małgorzata Mucha, Magdalena Pagacz and Zofia Mielke

Chem. Phys. Lett.; 2008; 458(1-6); 39-43.

<http://dx.doi.org/10.1016/j.cplett.2008.04.088>

Comparative Study of the Photochemistry of the Azidopyridine 1-Oxides

Crabtree, K. N.; Hostetler, K. J.; Munsch, T. E.; Neuhaus, P.; Lahti, P. M.; Sander, W.;

Poole, J. S.

J. Org. Chem.; 2008; 73(9); 3441-3451.

<http://dx.doi.org/10.1021/jo8001936>

Thermal and Hyperthermal Collision-Energy Depositions of Transition Metal-Benzene Sandwich Complexes onto a Self-Assembled *n*-Octadecanethiol Monolayer

Nagaoka, S.; Ikemoto, K.; Matsumoto, T.; Mitsui, M.; Nakajima, A.

J. Phys. Chem. C.; 2008; 112(17); 6891-6899.

<http://dx.doi.org/10.1021/jp711695s>

Reactions of laser-ablated tellurium atoms with oxygen molecules: Matrix isolation infrared and DFT studies

K. Sundararajan, K. Sankaran and V. Kavitha

J. Mol. Struct.; 2008; 876(1-3); 240-249.

<http://dx.doi.org/10.1016/j.molstruc.2007.06.021>

C5N⁻ anion and new carbenic isomers of cyanodiacetylene: A matrix isolation IR study
Coupeaud, A ; Turowski, M ; Gronowski, M ; Pietri, N ; Couturier-Tamburelli, I ;
Kolos, R

J. Chem. Phys.; 2008; 128(15) 154303.

<http://dx.doi.org/10.1063/1.2894875>

Matrix isolation IR spectroscopic and ab initio studies of C3N⁻ and related species

Kołos, R ; Gronowski, M ; Botschwina, P

J. Chem. Phys.; 2008; 128(15); 154305.

<http://dx.doi.org/10.1063/1.2902289>

Matrix Isolation Infrared Spectroscopic Studies and Density Functional Theory
Calculations of the MNN, (MN)₂ (M = Y and La), and Y₃NN Molecules

Teng, Y.-L.; Xu, Q.

J. Phys. Chem. A.; 2008; 112(16); 3607-3613.

<http://dx.doi.org/10.1021/jp8003568>

CO Activation on the Late Lanthanide Dimers: Matrix Infrared Spectra of the Ln₂[^π(#₂-
C, O)]_x (Ln = Tb, Dy, Ho, Er, Lu; x = 1, 2) Molecules

Jiang, L.; Jin, X.; Zhou, M.; Xu, Q.

J. Phys. Chem. A.; 2008; 112(16); 3627-3630.

<http://dx.doi.org/10.1021/jp7115966>

V₄O₁₀: Spectroscopic Fingerprint of a Well-Defined, Molecular Metaloxo Aggregate

Herwig, C.; Limberg, C.

Inorg. Chem.; 2008; 47(8); 2937-2939.

<http://dx.doi.org/10.1021/ic8002146>

First observation of the matrix-isolated FTIR spectrum of vaporized ionic liquid: An
example of EmimTFSI, 1-ethyl-3-methylimidazolium bis(trifluoromethanesulfonyl)imide

Akai, N ; Kawai, A ; Shibuya, K

Chem. Lett.; 2008; 37(3); 256-257.

<http://dx.doi.org/10.1246/cl.2008.256>

Tentative identification of C3N center dot radical luminescence in solid krypton

Crepin, C., Moneron, L., Douin, S., Boye-Peronne, S., Kolos, R., Turowski, M.,

Gronowski, M., Sepiol, J., Benilan, Y., Gazeau, M. -C.

Polish J. Chem.; 2008; 82(4); 741-749.

Photoreaction mechanism of 2-chloropropionic acid in a low-temperature argon matrix

Satoshi Nishino and Munetaka Nakata

J. Mol. Struct.; 2008; 875(1-3); 520-526.

<http://dx.doi.org/10.1016/j.molstruc.2007.05.036>

September 2008

EPR spectroscopy of quintet 4-amino-3,5-dichloropyridine-2,6-diyldinitrene isolated in solid argon

Misochko, E ; Akimov, A ; Lavitskii, V ; Chapyshev, S

Russian Chemical Bulletin; 2007; 56(12); 2364-2369.

Coordination of niobium and tantalum oxides by Ar, Xe and O-2: Matrix isolation infrared spectroscopic and theoretical study of NbO₂(Ng)₂ (Ng = Ar, Xe) and MO₄W (M = Nb, Ta; X = Ar, Xe, O-2) in solid argon

Zhao, Y ; Zheng, X ; Zhou, M

Chem. Phys.; 2008; 351(1-3); 13-18.

<http://dx.doi.org/10.1016/j.chemphys.2008.03.026>

Hydrogen bonding to divalent sulfur

Howard, D ; Kjaergaard, H

Phys. Chem. Chem. Phys.; 2008; 10(28); 4113-4118.

<http://dx.doi.org/10.1039/b806165c>

Infrared spectroscopic and density functional theory studies on the reactions of yttrium and lanthanum atoms with nitrous oxide in excess argon

Jiang, L ; Xu, Q

J. Phys. Chem. A; 2008; 112(28); 6289-6294.

<http://dx.doi.org/10.1021/jp802114z>

Infrared Spectra of HCC-MH and M- η^2 -(C₂H₂) from Reactions of Laser-Ablated Group- 4 Transition-Metal Atoms with Acetylene

Cho, H.-G.; Kushto, G. P.; Andrews, L.; Bauschlicher, C. W., Jr.

J. Phys. Chem. A.; 2008; 112(28); 6295-6304.

<http://dx.doi.org/10.1021/jp801336d>

Symmetry-adapted perturbation theory interaction energy decomposition for some noble gas complexes

Cukras, J ; Sadlej, J

Chem. Phys. Lett.; 2008; 459(1-6); 44-48.

<http://dx.doi.org/10.1016/j.cplett.2008.05.019>

Interaction between O-3 and H₂O₂: A theoretical study

Makiabadi, B ; Roohi, H

Chem. Phys. Lett.; 2008; 460(1-3); 72-78.

<http://dx.doi.org/10.1016/j.cplett.2008.06.020>

A theoretical study of the electronic structure of the Co₂O₂ molecule

Staemmler, V ; Reinhardt, P ; Allouti, F ; Alikhani, M

Chem. Phys.; 2008; 349(1-3); 83-90.

<http://dx.doi.org/10.1016/j.chemphys.2008.02.040>

Simple N UF₃ and P UF₃ molecules with triple bonds to uranium

Andrews, L ; Wang, X ; Lindh, R ; Roos, B ; Marsden, C

Angew. Chem. Int. Ed.; 2008; 47(29); 5366-5370.

<http://dx.doi.org/10.1002/anie.200801120>

Infrared and Raman spectra for amino group and C = O stretching modes in biomolecule 5-aminouracil

Singh, J

Spectrosc. Lett.; 2008; 41(3); 122-127.

<http://dx.doi.org/10.1080/00387010701799761>

Laser Raman and infra-red spectra of biomolecule: 5-aminouracil

Singh, J

Pramana-J. Physics; 2008; 70(3); 479-486.

<http://dx.doi.org/10.1007/s12043-008-0063-7>

Photochemistry of six- and five-membered-ring alpha,beta-unsaturated lactones in cryogenic matrices

Fausto, R ; Breda, S ; Kus, N

J. Phys. Org. Chem.; 2008; 21(7-8); 644-651.

<http://dx.doi.org/10.1002/poc.1343>

Theoretical studies on the infrared spectrum of the tetrahedral molecules R₂MH₂ (R = D(H), CH₃, OH; M = Ti, Zr, Hf)

Liu, G ; Zhao, Y

Structural Chemistry; 2008; 19(2); 247-256.

<http://dx.doi.org/10.1007/s11224-007-9279-2>

Matrix isolation infrared spectroscopic and Density Functional Theory study of the 1 : 1 complex of bromocyclohexane with NH₃: Evidence for a weak C-H-N hydrogen bond

Hess, K ; Samet, C

Spectrosc. Lett.; 2008; 41(4); 179-188.

<http://dx.doi.org/10.1080/00387010802132409>

Conformations of dimethylhydrogen phosphonate (DMHP): A matrix isolation infrared and ab initio study

Sundararajan, K ; Sankaran, K

J. Phys. Chem. A.; 2008; 112(26); 5917-5924.

<http://dx.doi.org/10.1021/jp800604y>

Matrix-Isolation Study and Ab Initio Calculations of the Structure and Spectra of Hydroxyacetone

Sharma, A.; Reva, I.; Fausto, R.

J. Phys. Chem. A.; 2008; 112(26); 5935-5946.

<http://dx.doi.org/10.1021/jp8012909>

Matrix-isolation FTIR study of carbon dioxide: Reinvestigation of the CO₂ dimer and CO₂ center dot center dot N₂ complex

Castano, J ; Fantoni, A ; Romano, R

J. Mol. Struct.; 2008; 881(1-3); 68-75.

<http://dx.doi.org/10.1016/j.molstruc.2007.08.035>

Matrix isolation study of ethyl chloroformate, ClC(O)OCH₂CH₃

Tobon, Y ; Di Loreto, H ; Della Vedova, C ; Romano, R

J. Mol. Struct.; 2008; 881(1-3); 139-145.

<http://dx.doi.org/10.1016/j.molstruc.2007.09.007>

Matrix Isolation Studies of Photochemical and Thermal Reactions of 3- and 5-Membered Cyclic Hydrocarbons with CrCl_2O_2

Hoops, M. D.; Ault, B. S.

J. Phys. Chem. A.; 2008; 112(24); 5368-5377.

<http://dx.doi.org/10.1021/jp800796k>

Infrared Matrix Isolation Study of the Thermal and Photochemical Reactions of Ozone with Dimethylzinc

Varma, P.; Ault, B. S.

J. Phys. Chem. A.; 2008; 112(25); 5613-5620.

<http://dx.doi.org/10.1021/jp800622j>

Amplified emission of phthalocyanine isolated in cryogenic matrices

Nadia Dozova, Ciaran Murray, John G. McCaffrey, Niloufar Shafizadeh and Claudine Crépin

Phys. Chem. Chem. Phys.; 2008; 10; 2167-2174.

<http://dx.doi.org/10.1039/b718418b>

Matrix Isolation Infrared Spectroscopic and Density Functional Theory Study of the 1:1 Complexes of Bromocyclohexane with NH_3 : Evidence for a Weak C-H...N Hydrogen Bond

Kyle R. Hess and Cindy Samet

Spectrosc. Lett; 2008; 41(4); 179-188.

<http://dx.doi.org/10.1080/00387010802132409>

Three-body interactions in solid parahydrogen

Hinde, RJ

Chem. Phys. Lett.; 2008; 460(1-3); 141-145.

<http://dx.doi.org/10.1016/j.cplett.2008.06.013>

Matrix isolation and computational study of the thermal and photochemical reactions of CrCl_2O_2 with GeH_4 , AsH_3 and SeH_2

Morris, J; Bui, H; Ault, BS

Chem. Phys.; 2008; 348(1-3); 203-208.

<http://dx.doi.org/10.1016/j.chemphys.2008.03.013>

Matrix Isolation Infrared Spectroscopic and Theoretical Study of the Hydrolysis of Boron Dioxide in Solid Argon

Gong, Y.; Zhou, M.

J. Phys. Chem. A.; 2008; 112(25); 5670-5675.

<http://dx.doi.org/10.1021/jp8014172>

Conformational Study of Eugenol by Density Functional Theory Method and Matrix-Isolation Infrared Spectroscopy

Olbert-Majkut, A.; Wierzejewska, M.

J. Phys. Chem. A.; 2008; 112(25); 5691-5699.

<http://dx.doi.org/10.1021/jp801430d>

Matrix-isolation FT-IR and theoretical investigation of the competitive intramolecular hydrogen bonding in 5-methyl-3-nitro-2-hydroxyacetophenone

Pajak, J ; Maes, G ; De Borggraeve, W ; Boens, N ; Filarowski, A

J. Mol. Struct.; 2008; 880(1-3); 86-96.

<http://dx.doi.org/10.1016/j.molstruc.2007.12.019>

Fourier transform infrared observation and density functional theory study of the AlC_3 and AlC_3Al linear chains trapped in solid Ar

Bates, S ; Rittby, C ; Graham, W

J. Chem. Phys.; 2008; 128(23); 234301.

<http://dx.doi.org/10.1063/1.2938380>

Metal-Free Conversion of Methane and Cycloalkanes to Amines and Amides by Employing a Borylnitrene
Bettinger, HF; Filthaus, M; Bornemann, H. Opiel, IM
Angew. Chem. Int. Ed.; 2008; 47(25) 4733-4747.
<http://dx.doi.org/10.1002/anie.200705936>

Anharmonic vibrational spectroscopy calculations with electronic structure potentials: comparison of MP2 and DFT for organic molecules
Chaban, G ; Gerber, R
Theo. Chem. Acc.; 2008; 120(1-3); 273-279.
<http://dx.doi.org/10.1007/s00214-007-0299-1>

Vibrational characterization of the 1 : 1 iodine-benzene complex isolated in solid krypton
Kiviniemi, T ; Hulkko, E ; Kijunen, T ; Pettersson, M
J. Phys. Chem. A.; 2008; 112(23); 5025-5027.
<http://dx.doi.org/10.1021/jp801980k>

Mercury-fluorine interactions: a matrix isolation investigation of Hg center dot center dot center dot F-2, HgF2 and HgF4 in argon matrices
Rooms, J ; Wilson, A ; Harvey, I ; Bridgeman, A ; Young, N
Phys. Chem. Chem. Phys.; 2008; 10(31); 4594-4605.
<http://dx.doi.org/10.1039/b805608k>

A laser ash photolysis, matrix isolation, and DFT investigation of (eta(6)-C6H5Y)Cr(CO)(3) (Y = NH2, OCH3, H, CHO, or CO2CH3)
Alamiry, M ; Brennan, P ; Long, C ; Pryce, M
J Organometallic Chem; 2008; 693(17); 2907-2914.
<http://dx.doi.org/10.1016/j.jorganchem.2008.06.003>

EPR spectroscopy of quintet 4-amino-3,5-dichloropyridine-2,6-diyldinitrene isolated in solid argon
Misochko, E ; Akimov, A ; Lavitskii, V ; Chapyshev, S
Russ. Chem. Bull.; 2007; 56(12); 2364-2369.

Coordination of niobium and tantalum oxides by Ar, Xe and O-2: Matrix isolation infrared spectroscopic and theoretical study of NbO2(Ng)2 (Ng = Ar, Xe) and MO4W (M = Nb, Ta; X = Ar, Xe, O-2) in solid argon
Zhao, Y ; Zheng, X ; Zhou, M
Chem Phys ; 2008 ; 351(1-3) ; 13-18.
<http://dx.doi.org/10.1016/j.chemphys.2008.03.026>

Matrix isolation infrared spectroscopic and density functional theory studies on the reactions of yttrium and lanthanum hydrides with dinitrogen
Teng, Y ; Xu, Q
J. Phys. Chem. A.; 2008; 112(33); 7594-7599.
<http://dx.doi.org/10.1021/jp8016024>

Study of the thymine molecule: Equilibrium structure from joint analysis of gas-phase electron diffraction and microwave data and assignment of vibrational spectra using results of ab initio calculations
Vogt, N ; Khaikin, L ; Grikina, O ; Rykov, A ; Vogt, J
J. Phys. Chem. A.; 2008; 112(33); 7662-7670.
<http://dx.doi.org/10.1021/jp8017138>

Structures and thermodynamic properties of aluminum oxyhalides: a computational study
Varga, Z ; Hargittai, M
Struct. Chem.; 2008; 19(4); 595-602.
<http://dx.doi.org/10.1007/s11224-008-9329-4>

Photoinduced Se-C insertion following photolysis of $(\eta^5\text{-C}_4\text{H}_4\text{Se})\text{Cr}(\text{CO})_3$. A picosecond and nanosecond time-resolved infrared, matrix isolation, and DFT investigation
Brennan, P ; George, M ; Jina, O ; Long, C ; McKenna, J ; Pryce, M
Organometallics; 2008; 27(15); 3671-3680.
<http://dx.doi.org/10.1021/om7011979>

Carbon chains of type $\text{C}_{2n+1}\text{N}^-$ ($n=2-6$): A theoretical study of potential interstellar anions
Botschwina, P ; Oswald, R
J. Chem. Phys.; 2008; 129(4); 044305.
<http://dx.doi.org/10.1063/1.2949093>

November 2008

Synthesis and infrared characterization of Br-HBr and Br-DBr entrance channel complexes in solid parahydrogen
Kettwich, S ; Pinelo, L ; Anderson, D
Phys. Chem. Chem. Phys.; 2008; 10(36); 5564-5573.
<http://dx.doi.org/10.1039/b806276e>

Activation of C-H and H-H bonds by dinuclear iridium complexes. Oxidative addition to highly active unsaturated $32e^-$ diiridium species
Fujita, K ; Takahashi, Y ; Nakaguma, H ; Hamada, T ; Yamaguchi, R
J. Organometallic Chem.; 2008; 693(21-22); 3375-3382.
<http://dx.doi.org/10.1016/j.jorganchem.2008.07.032>

Radicals from the Gas-Phase Pyrolysis of Hydroquinone: 1. Temperature Dependence of the Total Radical Yield
Adoukpe, J.; Khachatryan, L.; Dellinger, B.
Energy & Fuels; 2008; 22(5); 2986-2990.
<http://dx.doi.org/10.1021/ef800170j>

Matrix Infrared Spectroscopic and Theoretical Studies on the Reactions of Early Lanthanoid Atoms with Nitrous Oxide in Excess Argon
Jiang, L.; Xu, Q.
J. Phys. Chem. A.; 2008; 112(37); 8690-8696.
<http://dx.doi.org/10.1021/jp804326g>

Matrix Isolation and EPR Spectroscopy of Septet 3,5-Difluoropyridyl-2,4,6-trinitrene
Chapyshev, S. V.; Grote, D.; Finke, C.; Sander, W.
J. Org. Chem.; 2008; 73(18); 7045-7051.
<http://dx.doi.org/10.1021/jo800425k>

Title Apparatus for high-resolution solid hydrogen matrix isolation spectroscopy and its application
Deng, W ; Xu, G ; Wan, L ; Liu, A ; Gao, B ; Du, J
Acta Physico-Chimica Sinica; 2008; 24(8); 1329-1334

Spectroscopic identification of dihydroxycarbene
Schreiner, P ; Reisenauer, H
Angew. Chemie Int. Ed.; 2008; 47(37); 7071-7074.
<http://dx.doi.org/10.1002/anie.200802105>

Gas-Phase Vibrational Spectroscopy and Ab Initio Study of Organophosphorous Compounds: Discrimination between Species and Conformers
Cuisset, A.; Mouret, G.; Pirali, O.; Roy, P.; Cazier, F.; Nouali, H.; Demaison, J.
J. Phys. Chem. B.; (Article); 2008; 112(39); 12516-12525.

<http://dx.doi.org/10.1021/jp804665h>

Direct Observation of Microscopic Solvation at the Surface of Clusters by Ultrafast Photoelectron Imaging[†]
Poisson, L.; Gloaguen, E.; Mestdagh, J.-M.; Soep, B.; Gonzalez, A.; Chergui, M.
J. Phys. Chem. A.; (Article); 2008; 112(39); 9200-9210.

<http://dx.doi.org/10.1021/jp711259m>

Tamed tigers: Stabilization of reactive carbenes

Albrecht, M

ChemPhysChem; 2008; 9(13); 1829-1831.

<http://dx.doi.org/10.1002/cphc.200800426>

Infrared Multiple Photon Dissociation Spectra of Proton- and Sodium Ion-Bound Glycine Dimers in the N-H and O-H Stretching Region

Chad G. Atkins, Khadijeh Rajabi, Elizabeth A. L. Gillis, and Travis D. Fridgen

J. Phys. Chem. A.; 2008; 112(41); 10220-10225.

<http://dx.doi.org/10.1021/jp805514b>

Radicals from the Gas-Phase Pyrolysis of Hydroquinone: 1. Temperature Dependence of the Total Radical Yield

Adoukpe, J.; Khachatryan, L.; Dellinger, B.

Energy & Fuels; 2008; 22(5); 2986-2990.

<http://dx.doi.org/10.1021/ef800170j>

Simultaneous isolation of six fluoroquinolones in serum samples by selective molecularly imprinted matrix solid-phase dispersion

Sun, H ; Qiao, F ; Liu, G ; Liang, S

Analytica Chimica Acta; 2008; 625(2); 154-159.

<http://dx.doi.org/10.1016/j.aca.2008.07.025>

Hydroxycarbene: Watching a molecular mole at work

Bucher, G

Angew. Chem. Int. Ed.; 2008; 47(37); 6957-6958.

<http://dx.doi.org/10.1002/anie.200803195>

Electron spin resonance spectroscopy of molecules in large precessional motion: A case of H-6(+) and H4D2+ in solid parahydrogen

Shimizu, Y ; Kumada, T ; Kumagai, J

J. Mag. Res. ; 2008 ; 194(1) ; 76-80.

<http://dx.doi.org/10.1016/j.jmr.2008.05.024>

Experimental and Theoretical Investigation of HC₅N Adsorption on Amorphous Ice Surface: Simulation of the Interstellar Chemistry

Coupeaud, A.; Piétri, N.; Allouche, A.; Aycard, J.-P.; Couturier-Tamburelli, I.

J. Phys. Chem. A.; (Article); 2008; 112(35); 8024-8029.

<http://dx.doi.org/10.1021/jp803524q>

Photo-induced hydrogen exchange reaction between methanol and glyoxal: Formation of hydroxyketene

Mielke, Z ; Mucha, M ; Bil, A ; Golec, B ; Coussan, S ; Roubin, P

ChemPhysChem; 2008; 9(12); 1774-1780.

<http://dx.doi.org/10.1002/cphc.200800249>

Argon cluster-mediated isolation and vibrational spectra of peroxy and nominally D-3h isomers of CO₃- and NO₃-

Relph, R ; Bopp, J ; Johnson, M ; Viggiano, A

J. Chem. Phys.; 2008; 129(6); 064305.

<http://dx.doi.org/10.1063/1.2958223>

Infrared absorption spectra of ethynyl radicals isolated in solid Ne: Identification of the fundamental C–H stretching mode

Yu-Jong Wua and Bing-Ming Cheng

Chem. Phys. Lett.; 2008; 461(1-3); 53-57.

<http://dx.doi.org/10.1016/j.cplett.2008.07.008>

Infrared Spectra, Structure, and Bonding of the Group 6 and Ammonia M:NH₃, H₂N–MH, and NMH₃ Reaction Products in Solid Argon

Wang, X.; Andrews, L.

Organometallics; 2008; 27(19); 4885-4891.

<http://dx.doi.org/10.1021/om8003459>

The peculiarities of conformational structure of 2-deoxyuridine isolated in the low-temperature matrices of Ar and Kr

Ivanov A.Yu.

FNT, V. 34, No. 9, p. 962 (2008)

Features of transition to turbulence in superfluid ⁴He at low temperatures

Sheshin G.A., Zadorozhko A.A., Rudavskii E.Ya., Chagovets V.K., Skrbek L., and Blazhkova M.

FNT, V. 34, No. 11, p. 1111 (2008)

Low-temperature electrical discharge through solid xenon

Gordon E.B., Matyshenko V.L., Sizov V.D., and Smirnov B.M.

FNT, V. 34, No. 11, p. 1203 (2008)

Structure of high temperature phase of CF₄

Klymenko N.A., Galtsov N.N., and Prokhvatilov A.I.

FNT, V. 34, No. 11, p. 1212 (2008)

Electron diffraction of fcc-hcp transition in argon clusters with changing their sizes

Danylchenko O.G., Kovalenko S.I., and Samovarov V.N.

FNT, V. 34, No. 11, p. 1220 (2008)

Observation of coexistence of crystalline and liquid-like states in argon clusters doped with krypton

Danylchenko O.G., Kovalenko S.I., and Samovarov V.N.

FNT, V. 34, No. 12, p. 1308 (2008)

Luminescence study on hybrids of carbon nanotubes with DNA in water suspension and film at 5-290 K

Glamazda A.Yu., Leontiev V.S., Linnik A.S., and Karachevtsev V.A.

FNT, V. 34, No. 12, p. 1313 (2008)

Structure, phase transition and thermal expansion of C₂H₆

Klymenko N.A., Galtsov N.N., and Prokhvatilov A.I.

FNT, V. 34, No. 12, p. 1319 (2008)

January, 2009.

Dimer formation in nicotinamide and picolinamide in the gas and condensed phases probed by infrared spectroscopy.

Borba, Ana; Albrecht, Merwe; Gomez-Zavaglia, Andrea; Lapinski, Leszek; Nowak, Maciej J.; Suhm, Martin A.; Fausto, Rui.

Physical Chemistry Chemical Physics (2008), 10(46), 7010-7021.

<http://dx.doi.org/10.1039/b810002k>

Analysis of the normal modes of molecules with D_{3h} symmetry.

Rostkowska, Hanna; Lapinski, Leszek; Nowak, Maciej J.

Vibrational Spectroscopy (2009), 49(1), 43-51.

<http://dx.doi.org/10.1016/j.vibspec.2008.04.012>

Photoinduced oxidation of triphenylphosphine isolated in a low-temperature oxygen matrix.

Reva, Igor; Lapinski, Leszek; Nowak, Maciej J.

Chemical Physics Letters (2008), 467(1-3), 97-100.

<http://dx.doi.org/10.1016/j.cplett.2008.11.034>

Vibronic Effects in the 11Bu(11B2) Excited Singlet States of Oligothiophenes.

Fluorescence Study of the 11Ag(11A1) to 11Bu(11B2) Transition in Terms of DFT, TDDFT, and CASSCF Methods.

Andrzejak, Marcin; Pawlikowski, Marek T.

Journal of Physical Chemistry A (2008), 112(51), 13737-13744.

<http://dx.doi.org/10.1021/jp807752k>

Optical absorption of small silver clusters: Ag_n (n=4-22).

Harb, M.; Rabilloud, F.; Simon, D.; Rydlo, A.; Lecoultre, S.; Conus, F.; Rodrigues, V.; Felix, C.

Journal of Chemical Physics (2008), 129(19), 194108/1-194108/9.

<http://dx.doi.org/10.1063/1.3013557>

Low temperature IR spectroscopy and photochemistry of matrix - isolated □ -pyridil.

Lopes, Susy; Gomez-Zavaglia, Andrea; Fausto, Rui.

Journal of Photochemistry and Photobiology, A: Chemistry (2008), 200(2-3), 169-180.

<http://dx.doi.org/10.1016/j.jphotochem.2008.07.005>

MgCl and Mg₂Cl₂: from theoretical and thermodynamic considerations to spectroscopy and chemistry of species with Mg-Mg bonds.

Koeppe, Ralf; Henke, Patrick; Schnoeckel, Hansgeorg.

Angewandte Chemie, International Edition (2008), 47(45), 8740-8744.

<http://dx.doi.org/10.1002/anie.200802960>

Radicals from the Gas-Phase Pyrolysis of Hydroquinone: 2. Identification of Alkyl Peroxy Radicals.

Khachatryan, Lavrent; Adoukpe, Julien; Dellinger, Barry.

<http://dx.doi.org/Energy & Fuels> (2008), 22(6), 3810-3813.

<http://dx.doi.org/10.1021/ef8004459>

FTIR Analysis of Dimethyl Ether Decomposition Products Following Charge Transfer Ionization with Ar⁺ under Matrix Isolation Conditions.

Thompson, Matthew G. K.; Parnis, J. Mark.

Journal of Physical Chemistry A (2008), 112(47), 12109-12116.
<http://dx.doi.org/10.1021/jp806689j>

Matrix Isolation FTIR Spectroscopic and Theoretical Study of 3,3-Dichloro-1,1,1-Trifluoropropane (HCFC-243).

Lucena, J. R.; Sharma, A.; Reva, I. D.; Araujo, R. M. C. U.; Ventura, E.; do Monte, S. A.; Braga, C. F.; Ramos, M. N.; Fausto, R.

Journal of Physical Chemistry A (2008), 112(46), 11641-11648.
<http://dx.doi.org/10.1021/jp807388a>

Complexation of formaldoxime and acetaldoxime with nitrogen.

Golec, Barbara; Grzegorzek, Joanna; Mielke, Zofia.

Chemical Physics (2008), 353(1-3), 13-18.

<http://dx.doi.org/10.1016/j.chemphys.2008.07.020>

Matrix - Isolated Diglycolic Anhydride: Vibrational Spectra and Photochemical Reactivity.

Jarmelo, S.; Reva, I. D.; Lapinski, L.; Nowak, M. J.; Fausto, R.
Journal of Physical Chemistry A (2008), 112(44), 11178-11189.
<http://dx.doi.org/10.1021/jp805603b>

Computational investigation of Group 1 metal-chlorate ion pairs and their monohydrates.

Dain, Ryan P.; Van Stipdonk, Michael J.
THEOCHEM (2008), 868(1-3), 42-49.
<http://dx.doi.org/10.1016/j.theochem.2008.07.038>

A new sensitive detection scheme for helium nanodroplet isolation spectroscopy: application to benzene.

Loginov, Evgeniy; Braun, Andreas; Drabbels, Marcel.
Physical Chemistry Chemical Physics (2008), 10(40), 6107-6114.
<http://dx.doi.org/10.1039/b808211a>

Prototypical Triplet Alkyl Phosphonatocarbenes.

Nemirowski, Adelina; Reisenauer, Hans Peter; Romanski, Jaroslaw; Mloston, Grzegorz; Schreiner, Peter R.
Journal of Physical Chemistry A (2008), 112(50), 13244-13248.
<http://dx.doi.org/10.1021/jp803811s>

Intermolecular interactions involving noble-gas hydrides: Where the blue shift of vibrational frequency is a normal effect.

Lignell, Antti; Khriachtchev, Leonid.
Journal of Molecular Structure (2008), 889(1-3), 1-11.
<http://dx.doi.org/10.1016/j.molstruc.2008.07.010>

Formation and Characterization of Two FeO₃ Isomers in Solid Argon.

Gong, Yu; Zhou, Mingfei.
Journal of Physical Chemistry A (2008), 112(43), 10838-10842.
<http://dx.doi.org/10.1021/jp806442y>

Matrix Isolation Infrared Spectroscopic and Density Functional Theoretical Studies on the Reactions of Lanthanum Atoms with Acetylene.

Teng, Yun-Lei; Xu, Qiang.
Journal of Physical Chemistry A (2008), 112(41), 10274-10279.
<http://dx.doi.org/10.1021/jp8042957>

Molecular structure and vibrational spectra of 2(5H)-furanone and 2(5H)-thiophenone isolated in low temperature inert matrix.

Breda, S.; Reva, I.; Fausto, R.
Journal of Molecular Structure (2008), 887(1-3), 75-86.
<http://dx.doi.org/10.1016/j.molstruc.2008.02.034>

Reaction of Iminopropadienones with Amines - Formation of Zwitterionic Intermediates, Ketenes, and Ketenimines.

Veedu, Rakesh Naduvile; Kokas, Okanya J.; Couturier-Tamburelli, Isabelle; Koch, Rainer; Aycard, Jean-Pierre; Borget, Fabien; Wentrup, Curt.

Journal of Physical Chemistry A (2008), 112(40), 9742-9750.

<http://dx.doi.org/10.1021/jp803351q>

Matrix Infrared Spectra and Density Functional Calculations of TiO₃ and TiO₅ in Solid Argon.

Gong, Yu; Zhou, Mingfei.

Journal of Physical Chemistry A (2008), 112(40), 9758-9762.

<http://dx.doi.org/10.1021/jp805495d>

1H-1,3-Diazepines and Ketenimines from Cyanotetrazolopyridines.

Addicott, Chris; Wentrup, Curt.

Australian Journal of Chemistry (2008), 61(8), 592-599.

<http://dx.doi.org/10.1071/CH08252>

Vibrational spectra, ab initio calculations and vibrational assignments of 3-butyn-1-ol.

Nielsen, Claus J.; Horn, Anne; Klæboe, Peter; Guirgis, Gamil A.

Journal of Molecular Structure (2008), 886(1-3), 90-102.

<http://dx.doi.org/10.1016/j.molstruc.2007.11.002>

Carbon chains of type C_{2n+1}N⁻ (n=2-6): A theoretical study of potential interstellar anions.

Botschwina, Peter; Oswald, Rainer.

Journal of Chemical Physics (2008), 129(4), 044305/1-044305/11.

<http://dx.doi.org/10.1063/1.2949093>

Electron paramagnetic resonance spectrum of the FCO₂ radical isolated in noble gas matrices.

Beckers, H.; Willner, H.; Grote, D.; Sander, W.; Geier, J.

Journal of Chemical Physics (2008), 128(22), 224301/1-224301/7.

<http://dx.doi.org/10.1063/1.2933462>

IR and Raman Characterization of the Zincoenes (η⁵-C₅Me₅)₂Zn₂ and (η⁵-C₅Me₅)(η¹-C₅Me₅)Zn.

Diego del Rio, Irene Resa, Amor Rodriguez, Luis Sánchez, Ralf Köppe, Anthony J.

Downs, Christina Y. Tang and Ernesto Carmona

Journal of Physical Chemistry A (2008), 112(42), 10516-10525.

<http://dx.doi.org/10.1021/jp805291e>

Capillary turbulence on the surface of normal and superfluid ⁴He

Abdurakhimov L.V., Brazhnikov M.Yu., and Levchenko A.A.

FNT, V. 35, No. 2, p. 127 (2009)

Viscosity and relaxation processes in phonon-roton system of He II

Zadorozhko A.A., Rudavskii E.Ya., Chagovets V.K., Sheshin G.A., and Kitsenko Yu.A.
FNT, V. 35, No. 2 , p. 134 (2009)

The effect of n-H₂ impurity on the heat capacity of solid Ne.

Bagatskii M.I., Minchina I.Ya., and Parbusin V.S.
FNT, V. 35, No. 2, p. 204 (2009)